









Fabrication of ZnO homo Junctions for LEDs applications






Band Gap engineering in ZnO p-n Junctions by Cd and Mg doping






UV-A (0 mol% Cd)
 Violet (3 mol% Cd)
 Bluish violet (10 mol% Cd)
 Blue (20 mol% Cd)



UV-A (0 mol% Mg)
 UV-A (3 mol% Mg)
 UV-A (10 mol% Mg)
 UV-B (20 mol% Mg)






Effect of Morphology on NH₃ sensing in CuO:Cr nanostructures




Flexible CuO sensor on PET substrate by screen printing




Fabrication of ZnO-Ag Interdigitated electrode (IDE) Sensor by R.F.Sputtering





Ag sputtered IDE on Si substrate



Sensor with IDE






Fabricated sensor




Surface functionalization in TM doped ZnO thin films for Spintronics Applications





- Transition Metals (TM) doped ZnO films are grown by R.F Sputtering
- The grown films are capped using organic ligands to enhance Ferromagnetism
- These films are used to fabricate GMR/TMR structures.







Bound magnetic polaron formation in DMS









Negative MR ratio of GMR



ZrO₂ nanostructure by Precipitation method for gas sensing




Hydrothermal Synthesis of β -Ga₂O₃ for room temperature NH₃ sensing




Nanofillers (ZnO, Ag & Ag-ZnO) Incorporated PSF/PVP Membranes for Water Purification




Schematic diagram of membrane separation




XRD analysis - nanofillers




Dead end Ultra-filtration setup





Contact angle measurement




Water Permeability



Antibacterial activity- Disc diffusion method



Time dependent Water Permeability








Inhibition Zone width

- (a) PSF/PVP - 0.0mm
- (b) PSF/PVP/ZnO - 1.20mm
- (c) PSF/PVP/Ag - 20 mm
- (d) PSF/PVP/Ag-ZnO - 19.13 mm

- ✓ Enhanced hydrophilicity
- ✓ Nanoporous structure
- ✓ High water Permeability
- ✓ High antibacterial activity




Experimental investigation on the graphene-like 2D materials: Muscovite and Biotite







Optimization of Pt-M13 atom by Density Functional Theory (DFT)



2 Triangles+1




Decahedron







Icosahedron

- Measuring the charge transfer across the atoms
- Calculation of magnetic moment with finite value
- Measuring the HOMO/LUMO values
- Calculation of Density of States and Binding energy



Metal Oxide Nanoparticles for Phosphor-Converted White Light Generation



- ❖ Non activator doped Metal oxide Nanoparticles
- ❖ Microwave assisted sol-gel combustion
- ❖ Band gap Engineering
- ❖ Defect induced visible emission
- ❖ Near-UV excitable White Light Emitting Phosphors

