



NITT/CSG/OCT/2017

NATIONAL INSTITUTE OF TECHNOLOGY
TIRUCHIRAPPALLI - 620015

Tender Notification No. NITT/CSG/OCT/2017

COMPUTER SUPPORT GROUP

Item No. 15 : UPS

“TERMS AND CONDITIONS FORM”

**IMPORTANT : READ ALL THE FOLLOWING TERMS AND CONDITIONS AND
SIGN THE ACCEPTANCE CLAUSE FOLLOWING IT**

1. The offers through post or hand delivery should be addressed to “**The Head, Computer Support Group, National Institute of Technology, Tiruchirappalli 620015, Tamilnadu, India**” and should be sent in a sealed envelope superscribed “**QUOTE AGAINST TENDER NOTIFICATION No.: NITT/CSG/OCT/2017 Item No. 15 : UPS**” so as to reach us **on or before 2.30 p.m. on November 9, 2017. Quotations / bids received after deadline will be rejected summarily.**
2. Softcopy of the filled in Tender document (provided by NIT-T) in MS-Word format should be provided in a CD/DVD media or USB drive and should be enclosed along with the tender cover (this will be used for preparing comparative statements. Note that scanned copy / handwritten documents / PDF files will not be accepted). However, if there is any dispute between Hard copy and Soft copy, Hard copy will be taken.
3. The quote should also accompany along with a covering letter in your company letterhead with contact information such as contact person name, postal address, email id, and mobile number with signature.
4. Each offer should be sent in a sealed cover with the tender documents. Tenders received through email or FAX will not be normally considered.
5. The tenders will be opened on **November 9, 2017 at 3:00 p.m.** in the presence of the bidders present with authorization letter from the respective companies / firms. Bidders (vendors participating in the tender) intending to attend the tender opening should intimate us in advance.
6. If in any case, unscheduled holiday occurs on prescribed closing / opening date, the next working day shall be the prescribed date of closing / opening.
7. Full technical specifications such as make, model number, warranty should be specified and sent along with the tenders. **Offers without these details will be rejected.**
8. All offers should indicate the NET price (including taxes) or if required taxes and duties separately, if any. Additional charges for packing, forwarding, freight, insurance etc., if any, should be clearly mentioned.
9. NIT-T is paying concessional Customs & Excise duty under Government of India Notification No.51/96 for Central Customs and 10/97 for Central Excise Duty vide Certificate No.TU/V/RG-CDE(183)/2011 dt.10.10.11. Currently the purchaser is paying 5% Basic Customs Duty, 2% Educational Cess on Basic Customs Duty, 1% Higher Education Cess on Educational Cess, and 4% Import Additional Duty. This has been replaced by GST.
10. **Our institute has Department of Scientific & Industrial Research (DSIR) certificate valid till 31-08-2021 for claiming Central Customs Duty and Central Excise Duty Exemption.**
11. The Institute is not authorized to issue C and D forms of Sales tax.
12. 100% payment will be made only after delivery at NIT-T. **No advance payment will be made.** The payment will be normally made by the institute (for plan or project purchase) within 30 days of the receipt of the items along with invoice / bill (if the file is in order).
13. No revision of the price bid will be allowed once the price bids are opened.
14. No increase in price will be allowed after the arrival of NIT-T rate contract.
15. Price protection: At any later date during the 1 year rate contract period if the market price is lower than the approved price, the market price will be applicable. If there is any hike in market price, the quoted price should be applicable.

SIGNATURE WITH DATE

SEAL OF THE FIRM



NITT/CSG/OCT/2017

Tender Notification No. NITT/CSG/OCT/2017

COMPUTER SUPPORT GROUP

Item No. 15 : UPS

16. Quote should come from authorized dealer or distributor or reseller for each of the product quoted. An authorization letter from OEM should accompany your quote, otherwise it may lead to rejection.
17. Eligibility: Quotation from firms / company's / manufacturer registered under TNVAT/CST/sales tax laws of other states alone be considered. Any Manufacturer / Supplier / Dealer who has been declared ineligible by World Bank / Government of India shall not be eligible to participate in this bid. Any fraudulent practices including concealing of facts at the time of submission of bid and thereafter shall lead to disqualification.
18. The delivery period and other terms should be clearly mentioned.
19. The bidders/vendors are informed that they should not call us over phone or contact us in person. All clarifications can be obtained through E-Mail/FAX/Post. Vendors shall not make attempts to establish unsolicited and un-authorized contact with us after the opening of the offers and prior to the notification of the award. Any attempt by any bidder/vendor to bring extraneous pressures on us shall be sufficient reason to disqualify the bidder/vendor.
20. Delay / loss in postal transit or due to other reasons will not be NIT-T's responsibility.
21. Authorized signatory should sign on all the pages. Bids without authorized signatures will be rejected.
22. We are not responsible for accidental opening of the covers that are not properly superscribed and sealed before the time scheduled for opening.
23. The tender should be filled only on the "Tender Document provided by NIT-T" which is available in our website, otherwise it shall lead to rejection. The Tender Document should be duly filled up (preferably **TYPE WRITTEN IN CAPITAL LETTERS**) and should clearly mention the make, model number & warranty by the bidder against each specification.
24. Using ambiguous terms like "Yes", "Complied", "Available", or providing irrelevant data or leaving the field blank is NOT acceptable, each bidder has to instead specify the matching full technical specification for each line item.
25. The bidders are not allowed to make addition or alteration in the tender document.
26. If no warranty period is specified then the default warranty will be assumed as three years.
27. The manufacturers of the quoted make of the product must be of national / international repute and having ISO / BIS certificate.
28. **Liquidated damages:** If the bidder/supplier, after accepting the Purchase Order, fails to deliver any or all of the Goods within the period specified in the Order, NIT-T shall, without prejudice to other remedies under the Rules of Purchase, proceed to cancel the order or agree to accept a delayed delivery on the condition of payment of liquidated damages by the bidder / supplier a sum equivalent to 0.50% of the total cost as indicated in the Purchase Order (which will be deemed as agreed price) for each week or part thereof of delay until actual delivery or performance is completed and such penal charges shall be limited to a maximum of 5% of the total cost. Once the maximum is reached NIT-T may proceed on its own to consider the termination / cancellation of the order.
29. No Earnest Money Deposit (EMD) or processing fee is required for submitting this NIT-T rate contact tender
30. Failure to comply with all the terms and conditions mentioned herein would result in the tender being summarily rejected.
31. This is a single bid system. Both the technical specification and price bids would be opened at the same time. Vendors are informed that once the bidders are shortlisted based on the technical specification, only then the price bids of the firms that meet NIT-T's Technical specification / requirements would be compared.



NITT/CSG/OCT/2017

Tender Notification No. NITT/CSG/OCT/2017

COMPUTER SUPPORT GROUP

Item No. 15 : UPS

32. The bidders are expected to renew their offers whenever requested. The quoted prices should be valid for the entire one year NIT-T rate contract period with validity till November 30, 2018. Orders will be placed as and when required during this period.
33. In case the quoted model is declared end-of-life (EOL) or if the OEM stops the production or if the specification changes during the NIT-T rate contract period, then in that case the next equivalent replacement model should be supplied subject to condition that the purchase committee accepts to this. The replacement model should have the same specification or higher specification, and should be in no way inferior. The same should be notified in writing to NIT-T as and when the model or specification changes. The decision of the NIT-T purchase committee is final.
34. The order will be based on the actual requirement at the time of ordering and it may be 1 number or in lots depending on the department requirements.
35. Bidder are free to quote for some items alone if required. It is not compulsory to quote for all the items. Bidders are free to quote for more than one make / model / brand if required.
36. NIT-T Rate contract will be awarded for one year to the item wise L1 for each item and not to the overall L1.
37. The supply should be in original OEM's packing. The packing should not be tampered. If tampered or if found duplicate, action will be taken against your firm and your firm's name will be deleted from our suppliers list.
38. The invoice / bill should have all the required details like NIT-T Purchase Order (PO) number, Make, Model, Price, Serial number, Warranty, Department name and Contact Person Name.
39. All departments are empowered to raise the purchase order with your firm and you are requested to supply the same as per this NIT-T rate contract and purchase order.
40. "Comprehensive on-site warranty" means that your engineer should visit the site / location where the problem is reported, then troubleshoot & identify the problem and replace the faulty part. NIT-T will not provide or do any troubleshooting at our end.
41. During the one year NIT-T rate contract period if there is any change in tax structure because of Government of India due budget implications or introduction of new tax like Goods and Services Tax (GST), then NIT-T will bear the increase in tax component as this money goes to the Government. If there is any reduction in Tax the benefit of price reduction should be passed on to NIT-T.
42. If the specification quoted by the lowest bidder is higher than the one mentioned in the tender and if the specification meets the requirements of the Institute then the NIT-T rate contract / purchase order may be placed on the dealer / bidder even if it amounts to changing the specification originally mentioned in the tender.
43. NIT-T reserves the right to modify or alter the specifications after short listing of tenderers.
44. NIT-T reserves the right to split the orders among multiple bidders/vendors if the prices are same.
45. NIT-T reserves the right to reject any or all the tenders without assigning any reasons whatsoever.
46. In case of dispute, the matter will be subject to Tiruchirappalli, Tamil Nadu Jurisdiction only.

ACCEPTANCE

We accept the above terms and conditions and shall comply with them strictly.

NAME OF THE BIDDER:

POSTAL ADDRESS :

MOBILE:

EMAIL ID:

SIGNATURE WITH DATE

SEAL OF THE FIRM



NITT/CSG/OCT/2017

Tender Notification No. NITT/CSG/OCT/2017

COMPUTER SUPPORT GROUP

Item No. 15 : UPS

TECHNICAL COMPLIANCE & QUOTATION FORM (PRICE BID)

FIRM'S NAME & ADDRESS:

FIRM'S REF:

DATE :

Item No.	N.I.T.T'S SPECIFICATION	Make, Model & Warranty	Unit Price
I. Online UPS (IGBT)			
1.	<p>6 kVA / 120V DC Online UPS Single Phase Input and Single Phase Output Double conversion Online UPS System (inbuilt of Isolation Transformer) Constant voltage and constant current with IGBT technology only with 10 numbers of 12V / 42 AH SMF Batteries (for giving minimum 30 minutes Backup) along with MS Rack for housing the batteries and interlink cables. with Indicators, Protection, Auto Trip and Meters. 3 Years On-Site Comprehensive Warranty for both UPS and Batteries.</p>		
2.	<p>6 kVA / 120V DC Online UPS Single Phase Input and Single Phase Output Double conversion Online UPS System (inbuilt of Isolation Transformer) Constant voltage and constant current with IGBT technology only with 10 numbers of 12V / 65 AH SMF Batteries (for giving 60 minimum Backup) along with MS Rack for housing the batteries and interlink cables. with Indicators, Protection, Auto Trip and Meters. 3 Years On-Site Comprehensive Warranty for both UPS and Batteries.</p>		
3.	<p>10kVA / 240V DC Online UPS Three Phase Input and Single Phase Output with 0.8 Input Power Factor Double conversion Online UPS System (inbuilt of Isolation Transformer) with IGBT technology only with 20 numbers of 12V / 42 AH SMF Batteries (for giving minimum 30 Minutes Backup) along with MS Rack for housing the batteries and interlink cables. Input Voltage range 400 VAC +/- 15% Input Frequency range 45 to 55 Hz Total Harmonic Distortion < 3 % for 100% linear load and < 5% for 100% non-linear load Output Power Factor 0.6 to Unity Crest Factor 3:1, Sinusoidal Wave output with Indicators, Protection, Auto Trip, Audible Alarms, Meters, Static Bypass & Manual Bypass. ISO 9001 - 2008 and 14001:2004 3 Years On-Site Comprehensive Warranty for both UPS and Batteries.</p>		

SIGNATURE WITH DATE

SEAL OF THE FIRM



NITT/CSG/OCT/2017

Tender Notification No. NITT/CSG/OCT/2017

COMPUTER SUPPORT GROUP

Item No. 15 : UPS

Item No.	N.I.T.T'S SPECIFICATION	Make, Model & Warranty	Unit Price
4.	<p>10kVA / 240V DC Online UPS Three Phase Input and Single Phase Output with 0.8 Input Power Factor Double conversion Online UPS System (inbuilt of Isolation Transformer) with IGBT technology only with 20 numbers of 12V / 65 AH SMF Batteries (for giving minimum 60 minutes Backup) along with MS Rack for housing the batteries and interlink cables. Input Voltage range 400 VAC +/- 15% Input Frequency range 45 to 55 Hz Total Harmonic Distortion < 3 % for 100% linear load and < 5% for 100% non-linear load Output Power Factor 0.6 to Unity Crest Factor 3:1, Sinusoidal Wave output with Indicators, Protection, Auto Trip, Audible Alarms, Meters, Static Bypass & Manual Bypass. ISO 9001 - 2008 and 14001:2004 3 Years On-Site Comprehensive Warranty for both UPS and Batteries.</p>		
5.	<p>15kVA / 240V DC Online UPS Three Phase Input and Single Phase Output with 0.8 Input Power Factor Double conversion Online UPS System (inbuilt of Isolation Transformer) with IGBT technology only. with 20 numbers of 12V / 42 AH SMF Batteries (for giving minimum 30 minutes Backup) along with MS Rack for housing the batteries and interlink cables. Input Voltage range 400 VAC +/- 15% Input Frequency range 45 to 55 Hz Total Harmonic Distortion < 3 % for 100% linear load and < 5% for 100% non-linear load Output Power Factor 0.6 to Unity Crest Factor 3:1, Sinusoidal Wave output with Indicators, Protection, Auto Trip, Audible Alarms, Meters, Static Bypass & Manual Bypass. ISO 9001 - 2008 and 14001:2004 3 Years On-Site Comprehensive Warranty for both UPS and Batteries.</p>		
6.	<p>15kVA / 240V DC Online UPS Three Phase Input and Single Phase Output with 0.8 Input Power Factor Double conversion Online UPS System (inbuilt of Isolation Transformer) with IGBT technology only. with 20 numbers of 12V / 100 AH SMF Batteries (for giving minimum 60 minutes Backup) along with MS Rack for housing the batteries and interlink cables. Input Voltage range 400 VAC +/- 15%</p>		

SIGNATURE WITH DATE

SEAL OF THE FIRM



NITT/CSG/OCT/2017

Tender Notification No. NITT/CSG/OCT/2017

COMPUTER SUPPORT GROUP

Item No. 15 : UPS

	<p>Input Frequency range 45 to 55 Hz Total Harmonic Distortion < 3 % for 100% linear load and < 5% for 100% non-linear load Output Power Factor 0.6 to Unity Crest Factor 3:1, Sinusoidal Wave output with Indicators, Protection, Auto Trip, Audible Alarms, Meters, Static Bypass & Manual Bypass. ISO 9001 - 2008 and 14001:2004 3 Years On-Site Comprehensive Warranty for both UPS and Batteries.</p>		
7.	<p>20kVA / 240V DC Online UPS Three Phase Input and Single Phase Output with 0.8 Input Power Factor Double conversion Online UPS System (inbuilt of Isolation Transformer) with IGBT technology only. with 20 numbers of 12V / 65 AH SMF Batteries (for giving minimum 60 minutes Backup) along with MS Rack for housing the batteries and interlink cables. Input Voltage range 400 VAC +/- 15% Input Frequency range 45 to 55 Hz Total Harmonic Distortion < 3 % for 100% linear load and < 5% for 100% non-linear load Output Power Factor 0.6 to Unity Crest Factor 3:1, Sinusoidal Wave output with Indicators, Protection, Auto Trip, Audible Alarms, Meters, Static Bypass & Manual Bypass. ISO 9001 - 2008 and 14001:2004 3 Years On-Site Comprehensive Warranty for both UPS and Batteries.</p>		
8.	<p>20kVA / 240V DC Online UPS Three Phase Input and Single Phase Output with 0.8 Input Power Factor Double conversion Online UPS System (inbuilt of Isolation Transformer) with IGBT technology only. with 20 numbers of 12V / 100 AH SMF Batteries (for giving minimum 60 minutes Backup) along with MS Rack for housing the batteries and interlink cables. Input Voltage range 400 VAC +/- 15% Input Frequency range 45 to 55 Hz Total Harmonic Distortion < 3 % for 100% linear load and < 5% for 100% non-linear load Output Power Factor 0.6 to Unity Crest Factor 3:1, Sinusoidal Wave output with Indicators, Protection, Auto Trip, Audible Alarms, Meters, Static Bypass & Manual Bypass. ISO 9001 - 2008 and 14001:2004 3 Years On-Site Comprehensive Warranty for both UPS and Batteries.</p>		



NITT/CSG/OCT/2017

Tender Notification No. NITT/CSG/OCT/2017

COMPUTER SUPPORT GROUP

Item No. 15 : UPS

Item No.	N.I.T.T'S SPECIFICATION	Make, Model & Warranty	Unit Price
II. Line Interactive UPS			
9.	APC BACK-UPS BX600CI-IN, 600VA UPS , or equivalent with 1 number of 12V/7AH SMF Battery , minimum 3 battery backup output connections (3-pin 6A), surge protection feature, circuit breaker reset switch, LED status display and Audible Alarm feature. 2 years comprehensive On-Site Warranty		
10.	APC BACK-UPS BE700Y-IND, 700VA UPS or equivalent with 1 number of 12V/9AH SMF Battery , minimum 3 battery backup output connections (3-pin 6A), 1 surge protection connections (3-pin 6A), circuit breaker reset switch, LED status display and Audible Alarm feature. 2 years comprehensive On-Site Warranty		
11.	APC BACK-UPS BE800-IND, 800VA UPS or equivalent with 1 number of 12V/9AH SMF Battery , minimum 3 battery backup output connections (3-pin 6A), 1 surge protection connections (3-pin 6A), circuit breaker reset switch, LED status display and Audible Alarm feature. 2 years comprehensive On-Site Warranty		
12.	APC BR1000G-IN, 1000VA UPS or equivalent with 2 number of 12V/9AH SMF Battery , minimum 4 battery backup output connections (3-pin 6A), 2 surge protection connections (3-pin 6A), circuit breaker reset switch, Multifunction LCD status and Audible Alarm feature. 2 years comprehensive On-Site Warranty		
13.	APC BX1100CI-IN, 1100VA UPS or equivalent with 2 number of 12V/9AH SMF Battery , minimum 3 battery backup output connections (3-pin 6A), 2 surge protection connections (3-pin 6A), circuit breaker reset switch, LED status display and Audible Alarm feature. 2 years comprehensive On-Site Warranty		
14.	APC BR1500G-IN, 1500VA UPS or equivalent with 2 number of 12V/9AH SMF Battery , minimum 4 battery backup output connections (3-pin 6A), 2 surge protection connections (3-pin 6A), circuit breaker reset switch, Multifunction LCD status and Audible Alarm feature. 2 years comprehensive On-Site Warranty		
15.	APC SUA750I-IN, 750VA UPS or equivalent with 6 battery backup output connections (IEC 320 C13), over load protector, smart slot, USB, RS232 Interfaces. 2 years comprehensive On-Site Warranty		
16.	APC SURT6000XLI-CC, 6000VA UPS or equivalent with 2 years comprehensive On-Site Warranty		

SIGNATURE WITH DATE

SEAL OF THE FIRM

7 of 8



NITT/CSG/OCT/2017

Tender Notification No. NITT/CSG/OCT/2017

COMPUTER SUPPORT GROUP

Item No. 15 : UPS

Item No.	N.I.T.T'S SPECIFICATION	Make, Model & Warranty	Unit Price
17.	Microtek 800 VA , Model: MDP800, or equivalent with 2 Years warranty for UPS & 1 year warranty for battery		
18.	Microtek 925 VA , Model: E2 Sinewave 925VA, or equivalent, Sine wave, with 2 years warranty for UPS & 1 year for battery		
19.	Microtek 1000 VA , Model: TGE - 1000+, or equivalent with 2 years warranty for UPS & 1 year for battery		
20.	Microtek 1115 VA , Model: E2 Sinewave 1115VA, or equivalent with 2 years warranty for UPS & 1 year for battery		
21.	V-Guard SESTO-DX600, 600VA or equivalent with 2 years comprehensive On-Site Warranty		
22.	V-Guard SESTO-1000, 1000VA or equivalent with 2 years comprehensive On-Site Warranty		
23.	Numeric DIGITAL 600EX-V, 600VA or equivalent with 2 years comprehensive On-Site Warranty		
24.	Numeric DIGITAL 1000 Plus V, 1000VA or equivalent with 2 years comprehensive On-Site Warranty		
25.	Numeric DIGITAL 2000 Plus, 2000VA or equivalent with 2 years comprehensive On-Site Warranty		
26.	Any other Make & Model UPS (Specify the make, Model, rating, Warranty)		
AMC			
27.	Specify the AMC cost for the each of the above UPS separately after the expiry of warranty		