

TIRUCHIRAPPALLI - 620 015

DEPARTMENT OF ECE

NOTICE INVITING QUOTATION

File No. NITT/F.NO.035/CAPEX/2023-24/ECE Date: 26.09.2023	3
---	---

То

(Supplier Address)

Sealed quotations are invited from reputed Authorized Dealers / manufacturers for the supply of the Items.

Name of the Item		of the Item : CCTV System for the Departme	
Quantity Required : Mentioned in Tech Specs		Mentioned in Tech Specs	
Specification		:	(As per enclosed Schedule Annexure – I)
1.	Quotation Reference No.	:	NITT/F.NO.035/CAPEX/2023-24/ECE
2.	Last date and Time for receipt of quotation	:	16.10.2023 before 11 00 AM
3.	Date &Time of opening of Quotation	:	17.10.2023 at 02.00 PM
4.	EMD Amount	:	Rs, 4,000/-
5.	Validity (Days)	:	90 Days
6.	Address to which quotations are	:	The Director,
	to be sent		National Institute of Technology,
			Tiruchirappalli – 620 015, Tamil Nadu,
			India
	Kind attention to	:	Dr. D. Sriram Kumar
	Phone	:	0431 250 3300
	E-mail	:	srk@nitt.edu

1. Quotations should be submitted in the format given in Annexure – I and Annexure-II

2. The envelope should contain the following details:

"QUOTATION AGAINST ENQUIRY" CCTV System for the Department

NITT/F.NO.035/CAPEX/2023-24/ECE

Kind attention to: Dr. D. Sriram Kumar

Last date and Time for receipt of quotation: 16.10.2023 before 11 00 AM



TIRUCHIRAPPALLI - 620 015

Terms and Conditions:

1.	The quotation must be in the format furnished by NIT Tiruchirappalli and should be free from corrections/erasures. In case there is any unavoidable correction it should be properly attested. If not, the quotation will not be considered. Quotation written in pencil and incomplete will be rejected.
2.	Earnest Money Deposit (EMD) is to be submitted by way of Demand Draft drawn on any Nationalized bank in India in favor of "The Director, NIT, Tiruchirappalli" payable at Trichy. The bids submitted without EMD will be treated as non-responsive and will be rejected. EMD shall bear no interest. Bidder must fill the EMD returning Form (Annexure-III) and submit along with the quotation. EMD amount of Rs , 4,000/- of estimate value is applicable, however UDYAM & NSIC registered Micro & small enterprises are exempted as per Govt.norms proof to be attached.
3.	You are invited to submit your most competitive quotation for the supply of goods according to the specifications and delivery terms as given. Bank guarantee submitted for EMD shall be valid for 45 days beyond bid validity period.
4.	Bidders may send the quotations in sealed covers with the quotation reference number and last date for receipt of quotations duly superscribed on the cover. Kind Attention to: as mentioned in the point No. 6 NB: Mention the company Contact Number / E-mail id on the cover.
5.	Quotation will be opened on due date at 17.10.2023 at 02.00 PM at the Store and Purchase Section, NIT, Tiruchirappalli in presence of the tenderers or their representatives who may wish to be present. (Any change in the date, time and venue of the quotation opening will be informed to the bidders through telephone / E-mail)
6.	The National Institute of Technology, Tiruchirappalli reserves the right to accept or reject any quotations, and to cancel the bidding process, and reject all quotations at any time prior to the award of order without assigning any specific reason thereof.
7.	Manufacturer's name and country of origin of materials offered must be clearly specified. Printed brochures, Purchase preference is only for Micro & Small enterprises (MSE's) register in UDYAM Portal or NSIC as per Ministries policy for MSE's . Proof to be attached
8.	Samples must be submitted where specified along with the quotations. Samples must be carefully packed, sealed and labelled clearly with enquiry number, subject and sender's name for easy identification. Rejected samples will be returned at your cost if insisted
9.	All supplies are subject to inspection and approval before acceptance. Manufacturer / supplier warranty certificates and manufacturer / Government approved lab test certificate shall be furnished along with the supply, wherever applicable
10.	National Institute of Technology, Tiruchirappalli reserves the right to modify the quantity specified in this enquiry.
11.	Startup company exempted from prior turnover & prior experience (startup certificate registered with DIPP should be enclosed)
12.	The bidder has to submit the bids in sealed envelope, (separate for each tender). Further Bidder should not send clubbing many tenders in one envelope, in such case all the bids will be rejected.



13.	Bid Price
	a. The contract shall be for the full quantity Bidders must quote for entire quantity. Each bidder shall submit only one quotation in Indian Rupee only.b. Post work orders & completion certificate should be submitted, wherever applicable.
	c. The rates quoted by the bidder shall be fixed for the duration of the contract
	 and shall not be subject to adjustment on any account. d. GST, packing, forwarding and delivering other allied items at the destination shall be included in the price. All such price components may be shown in the quotation. If there is no indication regarding above charges. It will be considered as inclusive of all charges.
	e. If any arithmetic mistake in total / GST calculation is observed, the same shall be corrected by the purchaser with an intimation to bidder
	f. In case the items in the enquiry are covered by any rate contract or any othe state or central Government, it should be specified in your quotation and accepted contract rates should also be mentioned. It should be confirmed whether you could supply at the RC rates outside rate contract
	g. Quotations containing conditions like "subject to prior sale" may not be considered.
	h. Delivery period required for supplying the material should be invariably specified in the quotation
	i. Bids without quoting GST (unless exempted) will be treated as invalid & disgualified.
	j. If there is a discrepancy between unit price and total price, the uni price will be considered. If there is any mismatch between figure and word, the amount in word shall prevail.
14.	Evaluation of quotations: Quotations will be evaluated item-wise or lump sun basis. The purchase committee will evaluate and compare the quotations determined to be substantially responsive i.e. (i) are properly signed; (ii Conform to the terms & conditions and specifications; and (iii) price offered are competitive.
15.	Award of contract
	a. The National Institute of Technology, Tiruchirappalli will award the Order for supply of Goods / Services to the bidder whose quotation has been determined to be substantially responsive, and who has offered the lowest evaluated quotation price.
	b. The Bidder should furnish the contract agreement and performance security within 15 days from the date of receipt of the order for supply of goods / services, failing which the order will be cancelled without further notice and awarded to next eligible bidder.
	c. Notwithstanding the above, National Institute of Technology, Tiruchirappal reserves the right to accept or reject any quotations, and to cancel the bidding process, and reject all quotations at any time prior to the award of order without assigning any specific reason thereof.
	d. National Institute of Technology, Tiruchirappalli, prior to the expiration of the quotation validity period, will notify the bidder whose bid is accepted for the aware of contract. The terms of accepted offer shall be incorporated in the purchase order.
16.	Warranty: 12 Months
17.	Performance Security: Security deposit should be 3% of purchase order value in case of Performance Bank Guarantee should be valid for 60 days beyond the guarantee & warranty. The successful bidder needs to submit



	either in the form of bank guarantee or crossed demand draft drawn on any Nationalized bank in India in favor of "The Director, NIT, Tiruchirappalli" payable at Trichy. The bank guarantee / Demand Draft will be returned to the supplier after 60 days from date of successful completion of supply, installation, and the warranty period.
18.	Payment: 100% will be paid after Installation and satisfactory working/date of completion of service if the documents are in order. The bill should be raised in favor of "The Director, National Institute of Technology, Tiruchirappalli, Tamil Nadu, India." with institute GST No. 33AAATN5491Q1ZZ.No advance will be provided to the supplier and installer.
19.	Liquidity damages If the bidder / supplier, after accepting the Purchase Order or supply of Goods / Services, fails to deliver any or all of the Goods or to perform Services within the period(s) specified in the Order, The National Institute of Technology, Tiruchirappalli shall impose penalty without assigning any reasons to the bidder / supplier a sum equivalent to 0.50 % of the total cost as indicated in the Purchase Order (which will be deemed as agreed price) for each week or part thereof of delay until actual delivery or performance is completed and such penal charges shall be limited to a maximum of 5% of the agreed price. Once the maximum is reached The National Institute of Technology, Tiruchirappalli, may proceed on its own to consider the termination / cancellation of the Order and may inform the bidder about the cancellation of the said purchase order. unless extension is obtained in writing from the office / Department on valid ground before expiry of delivery period
20.	If the deliveries are not maintained and due to that account Procuring Entity is forced to buy the material at your risk and cost from elsewhere, the loss or damage that may be sustained there by will be recovered from the defaulting supplier
21.	Dispute clause: Any dispute relating to the Enquiring /Tender of the indented item shall be under the Hon'ble Court having its jurisdiction over Tiruchirappalli only
22.	Startup company exempted from Prior Turnover & Prior Experience (Startup certificate registered with DIPP should be enclosed)
23.	GST as applicable
24.	Performance Bank guarantee should be valid for 60 days beyond the guarantee & warranty and the BG submitted for EMD shall be valid for 45 days beyond bid validity period.
25.	Bids submitted without EMD (unless exempted) will be treated as disqualified.
26.	The successful bidder should submit Security Deposit/PBG within 15 days from the date of placement of order. The EMD shall be returned only after receipt of SD. If the bidder fails to deliver the material, then the EMD/SD shall be forfeited.



I/We hereby certify that I/We shall abide hereby the terms and conditions and the Annexures of this limited quotation.

Signature & Seal of Vendor with Date

For any details / clarifications regarding could be obtained from Stores and Purchase Section on all working days during 10 AM to 5 PM.

For further detail related to Technical specifications kindly contact Dr. D.

Sriram Kumar, (Purchase initiator), DEPARTMENT OF ECE NITT/F.NO.035/CAPEX/2023-

24/ECE, srk@nitt.edu, 0431 250 3300,

(NB: Mention the Contact Number / E-mail on the cover. Any change in the date, time and venue of the tender opening will be informed to the bidders through telephone / E-mail)

Enclosures: 1) Specifications of the equipment	Annexure – I
2) Price Format	Annexure - II
3) EMD Return Format	Annexure – III
4) Bank Mandate Form	Annexure – IV



TIRUCHIRAPPALLI - 620 015

DEPARTMENT OF ECE

Annexure- I

Specifications of the Equipment

Ref: NITT/F.NO.035/CAPEX/2023-24/ECE

Date: 26.09.2023

	Specification of NIT-T				
Sr.	Name of the Equipment / Goods	Qty.			
1.	4MP Outdoor Bullet Camera	4			
2.	2MP Outdoor Bullet Camera	3			
3.	2MP Dome Camera	8			
4.	16 Channel Network Video Recorder (NVR)	1			
5.	4 TB Surveillance Hard disks	2			
6.	16-Port PoE+ Switch	1			
7.	8-Port PoE+ Switch	3			
8.	9U Network Rack	3			
9.	1kVA Single Phase UPS	3			
10.	CAT 6 UTP Cable Box 305 Meter *	4			
11.	25mm PVC Conduit/Casing 2 Meter *	150			
12.	2" PVC Conduit/Casing 2 Meter *	70			
13.	PVC Box and Accessories *	15			
14.	Installation and Configuration of PoE Switch and Rack	3			
15.	, , , , , , , , , , , , , , , , , , ,	15			
16.	CAT6 Cable Laying, Crimping, Dressing and Casing Capping from Switch Rack to Camera points	15			



TIRUCHIRAPPALLI - 620 015

Technical Specification of Individual Items

1.Name of the Equipment / Goods	4 MP Outdoor Bullet Camera
Image Sensor	1/2.8" 4MP Progressive Scan CMOS or higher
III. using the se	Color 0.003 Lux @ F1.4-2.0 range
Illumination	0 Lux IR on
Shutter Speed	1/3s to 1/100,000s
Lens	2.4-3.0mm fixed
Aperture	F 1.4-2.0
Focal Length & FOV	Diagonal FOV 120° or higher
IR Range	Min 40meter
Resolution	Min 2560 × 1440
Stream	Min 2560 × 1440@30 fps
Video Compression	H.265, H.264, H.264+, MJPEG
Video Bit Rate	Min 8Mbps
Scalable Video Coding	H.264 and H.265
Audio Type	Mono with Noise Filtering
Audio Compression	G.711, G.726 or equivalent standards
Audio Input	Min 1 Channel
Smart and Intelligent Features	 Should have Facial recognition / Face Capture Should have Intrusion Detection / Line Crossing alarm Should have Region Detection Should have People Counting and Period Report
Settings / Functions	Anti-flicker, Mirror, Privacy mask, Pixel counter, Rotate mode, Saturation, Brightness, Contrast, Sharpness, Gain, White balance
Day/Night Switch	Auto and Schedule
Event Alarm	Motion detection human and vehicle, Abandoned/Missing object, video tampering
Ethernet Interface	RJ45 10 M/100 M self-adaptive
On-Board Storage	Built-in memory card slot
Power Supply	DC: 12V PoE: 802.3af
Camera Body	Aluminum alloy or equivalent



Environment Protection	IP 67 or higher	
Weight	Max 800g	\neg
Regulatory / Certifications	BIS	
Accessories	Cables and Standard accessories	
Warranty	Min 36 Months	
2.Name of the Equipment / Goods	2 MP Outdoor Bullet Camera	2 MP Outdoor Bullet (
Image Sensor	1/2.8" 2MP Progressive Scan CMOS or higher	
	Color 0.002 Lux @ F1.4-1.5 range	
Illumination	0 Lux IR on	
Shutter Speed	1/3s to 1/100,000s	_
Lens	2.4-3.0mm fixed	
Aperture	F 1.4-2.0	
Focal Length & FOV	Diagonal FOV 125° or higher	\neg
IR Range	Min 40meter	\neg
Resolution	Min 1920 × 1080	
Stream	Min 1920 × 1080@30 fps	
Video Compression	H.265, H.264, H.264+, MJPEG	
Video Bit Rate	Min 8Mbps	
Scalable Video Coding	H.264 and H.265	
	Should have Intrusion Detection / Line Crossing	
Smart and Intelligent Features	alarm	
	Should have Region Entrance / Exit Detection	
	Anti-flicker, Mirror, Privacy mask, Pixel counter,	
Settings / Functions	Rotate mode, Saturation, Brightness, Contrast,	
	Sharpness, Gain, White balance	
Day/Night Switch	Auto and Schedule	
	Motion detection human and vehicle,	\neg
Event Alarm	Abandoned/Missing object, video tampering	
Ethernet Interface	RJ45 10 M/100 M self-adaptive	-
	DC: 12V	
Power Supply	PoE: 802.3af	
Camera Body	Aluminum alloy or Metal	-
Environment Protection	IP 67 or higher	
Weight	Max 800g	
Regulatory / Certifications	BIS	



Accessories	Cables and Standard accessories	
Warranty	Min 36 Months	
3.	Name of the Equipment / Goods	2 MP Dome Camera
Image Sensor	1/2.8" 2MP Progressive Scan CMOS or higher	
	Color 0.01 Lux @ F 2.0 / 0.0005 Lux @ F 1.0 range	
Illumination	0 Lux IR on	
Shutter Speed	1/3s to 1/100,000s	
Lens	2.4-3.0mm fixed	
Aperture	F 1.0-2.0	-
Focal Length & FOV	Diagonal FOV 120° or higher	-
IR Range	Min 30meter	-
Resolution	Min 1920 × 1080	-
Stream	Min 1920 × 1080@30 fps	-
Video Compression	H.265, H.264, H.264+, MJPEG	-
Video Bit Rate	Min 8Mbps	-
Scalable Video Coding	H.264 and H.265	-
	Anti-flicker, Mirror, Privacy mask, Pixel counter,	-
Settings / Functions	Rotate mode, Saturation, Brightness, Contrast,	
	Sharpness, Gain, White balance	
Day/Night Switch	Auto and Schedule	
	Motion detection human and vehicle,	
Event Alarm	Abandoned/Missing object, video tampering	
Ethernet Interface	RJ45 10 M/100 M self-adaptive	-
	DC: 12V	-
Power Supply	PoE: 802.3af	
Environment Protection	IP 67 or higher	-
Weight	Max 800g	-
Regulatory / Certifications	BIS	1
Accessories	Cables and Standard accessories	1
Warranty	Min 36 Months	1
4.	Name of the Equipment / Goods	16 Channel Network
IP video input	16-Channel	1
Camera MP Compatibility	8MP, 6MP, 5MP, 4MP, 3MP, 1080P or Higher	1
	People counting camera	1
Camera Types Compatibility	ANPR camera	



	Fisheye camera	
	Multi Brand IP Cameras	
	Min 1 Channel Video Stream Facial recognition	
	Min 3 Channel Picture Facial recognition	
Smart and Intelligent Features	Should have Intrusion Detection / Line Crossing alarm	
-	Should have Target Search feature	
	Should have Intelligent Search Picture	
	Should support face capture IP cameras	
Trigger Functions	Recording, PTZ, Email, FTP, Zoom, Tracking	
Stream Security	TLS encryption or better	
Bandwidth	Incoming: Min 160Mbps, Outgoing: Min 256Mbps	
···· -	Min 1x HDMI 4K 30Hz	
Video Output	Min 1x VGA	
Video Compression & Decoding	H.265, H.264+, H.264, MPEG4/MJPEG	
Decoding Capability	Min 16-ch @ 1080p 30 fps	
Audio Compression	G.722, G.726, MP2, AAC	
Remote User Access	Min 128	
	TCP/IP, IPv4, IPv6, DNS, DHCP, DDNS, NTP,	
Network protocol	RTSP, SMTP, SNMP, UPnP, HTTP, HTTPS,	
	ONVIF	
Network interface	Min 2x RJ-45 10/100/1000 Mbps self-adaptive	
Backup Mode	USB Device, Network	
SATA	Min 2x SATA interfaces	
USB interface	Min 1x USB 3.0, Min 1x USB 2.0	
	Min 4-Ch Alarm In	
Alarm	Min 1-Ch Alarm Out	
Power supply	Min 1x 100 to 240 VAC, 50 ~ 60 Hz	
Chassis	Max 2U Size	
Accessories	Cables and Standard accessories	
Warranty	Min 36 Months	
5.	Name of the Equipment / Goods	4 TB Surveillance H
Capacity	4 TB	
Туре	Internal	
Form Factor	3.5	



Interface	SATA 6 Gb/s	
Recording technology	CMR	
Cameras Support	Min 64	
Al Channels / Streams	Min 32	
Data Transfer Rate	Min 175 MB/s	
Cache	Min 256 MB	
Load/Unload Cycles	Min 600,000	
Workload Rate	Min 180 TB/year	
MTBF	Min 1,000,000 hours	
Warranty	Min 36 Months	
6.	Name of the Equipment / Goods	16-Port PoE+ Switch
Interfaces	Min 16× 10/100/1000 Mbps RJ45 Ports (Auto Negotiation/Auto MDI/MDIX)	
	Min 2x Gigabit SFP Slots	
PoE Ports	Min 16x PoE+ RJ45 Ports	
PoE Power	Min 250W	
PoE Standard	802.3at/af	
	IEEE 802.3, IEEE 802.3u, IEEE 802.3ab, IEEE	
Standards and Protocol Support	802.3x, IEEE 802.3af, IEEE 802.3at, IEEE 802.1q,	
	IEEE 802.1p	
Fans	Min 2x Fans	
Switching Capacity	Min 36 Gbps	
Packet Forwarding Rate	Min 24 Mbps	
MAC Address Table	Min 8K V4	
Packet Buffer Memory	Min 4 Mbit	
	Queue Weight Config	
	Bandwidth Control	
	Min 16x IP Interfaces	
	Min 32x Static Routing	
Software Feature	DHCP Relay	
	DHCP Snooping	
	Link Aggregation	
	Loopback Detection	



	Mirroring	
	Min 4K VLAN Groups	
	802.1Q tag VLAN	
	802.1X Port based authentication	
	IP/IPv6-MAC Binding DHCP Snooping	
	IP/Port/MAC based access control	
	Automatic Device Discovery	
	Network Monitoring	
	Event Warnings	
	Web-based GUI	
Managamant	Command Line Interface (CLI)	
Management	SNMPv1/v2c/v3	
	Cloud Access through OEM Software Controller	
Mount Compatibility	Rack Mounted	
Power supply	Min 1x 100 to 240 VAC, 50 ~ 60 Hz	
Accessories	Cables and Standard accessories	
Warranty	Min 36 Months	
7.	Name of the Equipment / Goods	8-Port PoE+ Swit
Interfaces	Min 8× 10/100/1000 Mbps RJ45 Ports (Auto Negotiation/Auto MDI/MDIX)	
	Min 2x Gigabit SFP Slots	
PoE Ports	Min 8x PoE+ RJ45 Ports	
PoE Power	Min 150W	
PoE Standard	802.3at/af	
	IEEE 802.3, IEEE 802.3u, IEEE 802.3ab, IEEE	
Standards and Protocol Support	802.3x, IEEE 802.3af, IEEE 802.3at, IEEE 802.1q,	
	IEEE 802.1p	
Fans	Min 1x Fan	
Switching Capacity	Min 18 Gbps	
Packet Forwarding Rate	Min 14 Mbps]
MAC Address Table	Min 8K V4	
Packet Buffer Memory	Min 4 Mbit	



	Queue Weight Config	
	Bandwidth Control	
	Min 16x IP Interfaces	
	Min 32x Static Routing	
	DHCP Relay	
	DHCP Snooping	
	Link Aggregation	
	Loopback Detection	
	Mirroring	
Software Feature	Min 4K VLAN Groups	
	802.1Q tag VLAN	
	802.1X Port based authentication	
	IP/IPv6-MAC Binding DHCP Snooping	
	IP/Port/MAC based access control	
	Automatic Device Discovery	
	Network Monitoring	
	Event Warnings	
	Web-based GUI	_
	Command Line Interface (CLI)	
Management	SNMPv1/v2c/v3	
	Cloud Access through OEM Software Controller	
Mount Compatibility	Rack Mounted	
Power supply	Min 1x 100 to 240 VAC, 50 ~ 60 Hz	
Accessories	Cables and Standard accessories	
Warranty	Min 36 Months	
8.	Name of the Equipment / Goods	9U Network Rad
Rack Mount Size	9RU	
Rack Standard	DIN 41494 or equivalent standard	7
Frame	Steel	
Construction	Welded	



Standard Finish	Powder coated	
Top & Bottom Cover	Welded to Frame with Cable entry exit cut outs	
Front Door	Lockable Toughened Glass Door	
Mounting Angle	19" Mounting angles made of formed steel	
	Min 5x 6A Multi Standard Socket PDU with	
Power Distribution Unit	Indicator and 06 Amp Fuse	
Load Capacity	Min 35kgs	
Colour	Grey & White / Off-White	
Accessories	Standard accessories and Rack Screws, Nuts	
Warranty	Min 36 Months	
09.	Name of the Equipment / Goods	1kVA Single Phase l
Main Input Voltage Range	140-280 V	
Main Output Voltage	230 / 220 V	
Other Output Voltage	230 / 220 V	
Rated power (W)	Min 600 W	
Rated power (VA)	Min 1000 VA	
Output connection type	Min 4x 6A Socket	
Cable Length	Min 1.2 Meter	
Battery type	Lead-acid non-Maintenance battery	
Battery voltage	24 V	
Battery capacity	Min 2x 7 Ah	
Battery Placement	In-Built	
Transfer time	Max 4ms	
Indicator	On Mains, Main Fails, On Battery, Fault,	
IIIUICALUI	Overload	
Operating Temperature	Min 0 - 40 ° C	
Certification	BIS	
Accessories	Standard accessories and Cables	
Warranty	Min 36 Months	
10.	Name of the Equipment / Goods	CAT 6 UTP Cable Box
Length	Min 305 Meter	
Standard	23 AWG Solid bare Copper (4 pair)	
Insulation	High Density Polyethylene	
Standard	ISO/IEC 11801	
PoE Application Compatibility	Yes	



11.	Name of the Equipment / Goods	2" PVC Conduit/Cas
Length	Min 2 Meter	
Conductor	ISI	
Colour	White	
12.	Name of the Equipment / Goods	25mm PVC Conduit
Length	Min 2 Meter	
Standard	ISI	
Colour	White	
	1	
sons (if there is difference in specification)		-
	Length Conductor Colour 12. Length Standard Colour	LengthMin 2 MeterConductorISIColourWhite12.Name of the Equipment / GoodsLengthMin 2 MeterStandardISI



S.No	Other requirements related to the	NITT Requirement	Supplier commitment			
	equipment					
1.	Installation required	Yes				
2.	Warranty (in Month)	12 Months				
3.	Comprehensive AMC required	Yes				
4.	Delivery Period (Weeks)	4-6 Weeks				
5.		Shipment terms	At NIT-T			
6.	Pe	rformance Security in %	3 %			
7.		Payment Terms	100% Payment after			
			satisfactory			
			delivery/Installation			
8.		EMD Amount (2 to 5)%	Rs, 4,000/-			

Signature & Seal of Vendor with Date

Note:

Specification of the Supplier should be given in detail, single word confirmation like Complied / No / same will be treated as non - responsive Bid and summarily rejected.

Proof for the supplier's specification must be enclosed along with the quotations.

(catalogue, brochure, and product website link if any)



TIRUCHIRAPPALLI - 620 015

DEPARTMENT OF ECE

Annexure- II

PRICE BID FORMAT FOR BIDDERS

Tender No. & Date : Bidder's Offer No. & Date :

S. No.	Description of item	Description of item Unit QT (Set				GST in Rs.					
		(001 / No)		in Rs. (excluding		SGST CGST IGST		Value + GST in			
		/		GST)	SGST			Rs.			
1.	Supply portion	No's	Mentio								
	(The price indicated		ned in								
	shall be exclusive of all		Tech								
	accessories, spares etc.		Specs								
	as given in the scope of										
	supply)										
<u>2</u>	Other accessories /										
	spares etc. as given in										
	scope of supply										
	(Individual item-wise										
	break-up price shall be										
	attached as an										
	annexure to this price bid										
	format.)										
<u>3</u>	Installation and	Yes									
	Commissioning										
	(extra, if any)										
<u>4</u>	Packing & Forwarding cha	•									
<u>5</u>	Freight & Transit insurance										
6	Total price (delivery, instal			sioning at NIT-1	Г)						
7	Value of Annual Maintenar		ract								
8	Net cost to be paid by N	T-T									

Signature & Seal of Vendor

Note: The price bid should be submitted only as per the above format. No row shall be left blank. Please indicate NA, in case the item is "Not Applicable". If this format is not used or any column is left blank, then the bid will be rejected.



(TO BE PRINTED IN LETTER PAD OF THE FIRM)

EMD Returning Form

To The Director National Institute of Technology, Tiruchirappalli – 620 015

Sub: Returning EMD amount

Sir / Madam,

Our firm has participated in the tender / quotation enquiry No mentioned below and produced the EMD amount through DD, details of the DD are given below.

Tender / Quotation Reference No	
EMD amount	
DD Number	
DD issued Bank	
Date of DD	

It is requested to return the EMD amount to our firm after completion of the purchase to the below mentioned Bank account.

Account Name	
Bank Account Number	
IFSC code	
Bank	



(TO BE PRINTED IN LETTER PAD OF THE FIRM)

Annexure – IV

MANDATE FORM FOR ELECTRONIC FUND TRANSFER/RTGS TRANSFER

Date: / /

То

The Director. National Institute of Technology, Tiruchirappalli - 620 015, Tamil Nadu

Sub : Authorization for release of payment / dues from National Institute of Technology, Tiruchirappalli through Electronic Fund Transfer/RTGS Transfer.

- 1. Name of the Party / Firm / Company / Institute
- 2. Address of the Party
- 2. Address of the Party
 3.

 3. City______Pin Code_____

 4. E-Mail_____Mobile No:_____
- 5. Permanent Account Number_____
- 6. Particulars of Bank:

Bank Name:	Branch Name:																
PIN Code:	Branch Code:																
IFS Code:(11 digit alpha numeric code)																	
Account Type	Account Type Savings						Сι	Irrei	nt			C	Cash	n Cr	edit		
Account Number:																	

DECLARATION

I hereby declare that the particulars given above are correct and complete. If any transaction delayed and not effected for reasons of incomplete or incorrect information I shall not hold Director, National Institute of Technology Tiruchirappalli responsible. I also undertake to advise any change in the particulars of my account to facilitate updating of records for purpose of credit of amount through NEFT/RTGS Transfer.

Place:_____ Date: _____

Signature & Seal of the Authorized Signatory of the Party