

# DEPARTMENT OF METALLURGICAL AND MATERIALS ENGINEERING NOTICE INVITING QUOTATION

File No.	NITT/F.NO.035/CAPEX	(OH-35)	)/2024-25/MME	Date:	08-01-2025
To					

(Supplier Address)

Sealed quotations are invited from reputed Authorized Dealers / manufacturers for the supply of the Items.

Name of the Item		:	SMART BOARD DISPLAY		
Qua	antity Required	:	Name of the Equipment	Unit	
			Smart Board Display Set – I and	01	
			Peripherals	set	
			(Panel Size: 86" or higher)		
			Smart Board Display Set – II and	01	
			Peripherals (Papel Size: 55" or higher)	set	
			(Panel Size: 55" or higher)	1\	
	ecification	:	(As per enclosed Schedule Annexu		
1.	Quotation Reference No.	:	NITT/F.NO.035/CAPEX(OH-35)/202	24-	
			25/MME		
2.	Last date and Time for receipt of	:	29-01-2025 before 12.00 PM		
	quotation				
3. Date &Time of opening of		:	29-01-2025 at 02.00 PM		
	Quotation				
4.	EMD Amount	:	Rs.8,000/-		
5.	Validity (Days)	:	90 Days		
	Address to mission superior	_	The Director		
6.	Address to which quotations are	:	The Director,		
	to be sent		National Institute of Technology,		
			Tiruchirappalli – 620 015, Tamil Nac	du,	
			India		
	Kind attention to	:	Dr. V. KARTHIK		
	Phone	: 0431 250 3450			
	E-mail	:	karthikv@nitt.edu		

- 1. Quotations should be submitted in the format given in Annexure I and Annexure-II
- 2. The envelope should contain the following details:

### "QUOTATION AGAINST ENQUIRY" (SMART BOARD DISPLAY)

NITT/F.NO.035/CAPEX(OH-35)/2024-25/MME

Kind attention to: Purchase Initiator: Dr. V. KARTHIK, Assistant Professor

**Department: METALLURGICAL AND MATERIALS ENGINEERING** 

Last date and Time for receipt of quotation : 29-01-2025 before 12.00 PM



#### **Earnest Money Deposit (EMD)**

- Earnest Money Deposit (EMD) is to be submitted through SBI collect link as below. The bids submitted without EMD will be treated as non-responsive and will be rejected. EMD shall bear no interest.
- 2. Bidder must fill the EMD returning Form (Annexure-III) and submit along with the quotation.
- 3. EMD will be returned to the unsuccessful Bidder(s) as per the purchase norms.
- 4. The EMD shall be forfeited if any Bidder withdraws the offer before finalization of the tender.
- 5. UDYAM & NSIC registered Micro & small enterprises are exempted from paying EMD amount as per Govt. norms (proof to be attached). For availing EMD exemption, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. In respect of bid for Services, the bidder must be the Service provider of the offered services. Traders/Distributors/agents are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises.

EMD amount	Rs.8,000/-
SBI Collect Link	
mode (Payment	
Category- NITT	https://www.onlinesbi.sbi/sbicollect/icollecthome.htm?corpID=1768557
Tender- Earnest	
Money Deposit).	

The bidder must enclose SBI collect receipt along with the quotations, failing which the bid shall be rejected without any further communication.

#### **Terms and Conditions:**

- The quotation must be in the format furnished by NIT Tiruchirappalli and should 1. be free from corrections/erasures. In case there is any unavoidable correction it should be properly attested. If not, the quotation will not be considered. Quotation written in pencil and incomplete will be rejected. You are invited to submit your most competitive quotation for the supply of 2. goods according to the specifications and delivery terms as given. The Bidders have to submit manufacturers authorization Letter from OEM 3. along with the quotation, otherwise offer will not be considered, the same will be rejected. 4. Bidders may send the quotations in sealed covers with the quotation reference number and last date for receipt of quotations duly superscribed on the cover. Mention the company Contact Number / E-mail id on the cover.
- Quotation will be opened on due date at 29-01-2025 at 02.00 PM at the Store and Purchase Section, NIT, Tiruchirappalli in presence of the tenderers or their representatives who may wish to be present.
  (Any change in the date, time and venue of the quotation opening will be informed to the bidders through telephone / E-mail)



- 6. The National Institute of Technology, Tiruchirappalli reserves the right to accept or reject any quotations, and to cancel the bidding process, and reject all quotations at any time prior to the award of order without assigning any specific reason thereof.
- 7. Manufacturer's name and country of origin of materials offered must be clearly specified. Printed brochures, Purchase preference is only for Micro & Small enterprises (MSE's) register in UDYAM Portal or NSIC as per Ministries policy for MSE's. Proof to be attached
- 8. All supplies are subject to inspection and approval before acceptance. Manufacturer / supplier warranty certificates and manufacturer / Government approved lab test certificate shall be furnished along with the supply, wherever applicable
- 9. National Institute of Technology, Tiruchirappalli reserves the right to modify the quantity specified in this enquiry.
- 10. Startup company exempted from prior turnover & prior experience (startup certificate registered with DIPP should be enclosed)
- 11. The bidder has to submit the bids in sealed envelope, (separate for each tender). Further Bidder should not send clubbing many tenders in one envelope, in such case all the bids will be rejected.

#### 12. Bid Price

- a. The contract shall be for the full quantity Bidders must quote for entire quantity. Each bidder shall submit only one quotation in Indian Rupee only.
- b. Post work orders & completion certificate should be submitted, wherever applicable.
- c. The rates quoted by the bidder shall be fixed for the duration of the contract and shall not be subject to adjustment on any account.
- d. GST, packing, forwarding and delivering other allied items at the destination shall be included in the price. All such price components may be shown in the quotation. If there is no indication regarding above charges. It will be considered as inclusive of all charges.
- e. If any arithmetic mistake in total / GST calculation is observed, the same shall be corrected by the purchaser with an intimation to bidder
- f. In case the items in the enquiry are covered by any rate contract or any other state or central Government, it should be specified in your quotation and accepted contract rates should also be mentioned. It should be confirmed whether you could supply at the RC rates outside rate contract
- g. Quotations containing conditions like "subject to prior sale" may not be considered.
- h. Delivery period required for supplying the material should be invariably specified in the quotation
- i. Bids without quoting GST (unless exempted) will be treated as invalid & disqualified.
- j. If there is a discrepancy between unit price and total price, the unit price will be considered. If there is any mismatch between figure and word, the amount in word shall prevail.
- 13. **Evaluation of quotations:** Quotations will be evaluated item-wise or lump sum basis. The purchase committee will evaluate and compare the quotations determined to be substantially responsive i.e. (i) are properly signed; (ii) Conform to the terms & conditions and specifications; and (iii) price offered are competitive.

#### 14. Award of contract



- a. The National Institute of Technology, Tiruchirappalli will award the Order for supply of Goods / Services to the bidder whose quotation has been determined to be substantially responsive, and who has offered the lowest evaluated quotation price.
- b. The Bidder should furnish the contract agreement and performance security within 15 days from the date of receipt of the order for supply of goods / services, failing which the order will be cancelled without further notice and awarded to next eligible bidder.
- c. Notwithstanding the above, National Institute of Technology, Tiruchirappalli reserves the right to accept or reject any quotations, and to cancel the bidding process, and reject all quotations at any time prior to the award of order without assigning any specific reason thereof.
- d. National Institute of Technology, Tiruchirappalli, prior to the expiration of the quotation validity period, will notify the bidder whose bid is accepted for the award of contract. The terms of accepted offer shall be incorporated in the purchase order.

#### 15. Warranty: 36 months

- 16. **Performance Security:** Security deposit should be **3%** of purchase order value in case of Performance Bank Guarantee should be valid for 60 days beyond the guarantee & warranty. The successful bidder need to submit performance security (As mentioned in Annexure –I) of purchase order value either in the form of bank guarantee or crossed demand draft drawn on any Nationalized bank in India in favor of "The Director, NIT, Tiruchirappalli" payable at Trichy. The bank guarantee / Demand Draft will be returned to the supplier after 60 days from date of successful completion of supply, installation, and the warranty period.
- 17. **Payment:** 100% will be paid after Installation and satisfactory working/date of completion of service if the documents are in order. The bill should be raised in favor of "The Director, National Institute of Technology, Tiruchirappalli, Tamil Nadu, India." with institute GST No. 33AAATN5491Q1ZZ.No advance will be provided to the supplier and installer.

#### 18. Liquidity damages

- If the bidder / supplier, after accepting the Purchase Order or supply of Goods / Services, fails to deliver any or all of the Goods or to perform Services within the period(s) specified in the Order, The National Institute of Technology, Tiruchirappalli shall impose penalty without assigning any reasons to the bidder / supplier a sum equivalent to 0.50 % of the total cost as indicated in the Purchase Order (which will be deemed as agreed price) for each week or part thereof of delay until actual delivery or performance is completed and such penal charges shall be limited to a maximum of 5% of the agreed price. Once the maximum is reached The National Institute of Technology, Tiruchirappalli, may proceed on its own to consider the termination / cancellation of the Order and may inform the bidder about the cancellation of the said purchase order. unless extension is obtained in writing from the office / Department on valid ground before expiry of delivery period
- 19. If the deliveries are not maintained and due to that account Procuring Entity is forced to buy the material at your risk and cost from elsewhere, the loss or damage that may be sustained there by will be recovered from the defaulting supplier
- 20. Dispute clause: Any dispute relating to the Enquiring /Tender of the indented item shall be under the Hon'ble Court having its jurisdiction over Tiruchirappalli only



21.	Startup company exempted from Prior Turnover & Prior Experience (Startup certificate registered with DIPP should be enclosed)
22.	GST as applicable
23.	Performance Bank guarantee should be valid for 60 days beyond the guarantee & warranty and the BG submitted for EMD shall be valid for 45 days beyond bid validity period.
24.	The successful bidder should submit <b>Security Deposit/PBG</b> within 15 days from the date of placement of order. The <b>EMD</b> shall be returned only after receipt of SD. If the bidder fails to deliver the material, then the <b>EMD/SD</b> shall be forfeited.



### **ACCEPTANCE BY THE BIDDER**

I/We hereby certify that I/We shall abide hereby the terms and conditions and the Annexures of this limited quotation.

#### **Signature & Seal of Vendor with Date**

For any details / clarifications regarding could be obtained from Stores and Purchase Section on all working days during 10 AM to 5 PM.

For further detail related to Technical specifications kindly contact **Dr. V. KARTHIK** (Purchase initiator), **Assistant Professor**, **METALLURGICAL AND MATERIALS ENGINEERING**, **karthikv@nitt.edu**, **0431 250 3450**.

(NB: Mention the Contact Number / E-mail on the cover. Any change in the date, time and venue of the tender opening will be informed to the bidders through telephone / E-mail)

**Enclosures:** 1) Specifications of the equipment Annexure – I

2) Price Format Annexure - II

3) EMD Return Format Annexure – III

4) Bank Mandate Form Annexure – IV



### DEPARTMENT OF METALLURGICAL AND MATERIALS ENGINEERING

#### **Annexure-I**

# **Specifications of the Equipment**

**Ref:** NITT/F.NO.035/CAPEX(OH-35)/2024-25/MME

Date: 08-01-2025

		Date: 08-01	
S. No	Specification of NIT-T	Specifica	ation of
0.110	•	the Supplier	
1	Smart Board Display <u>Set – I</u> and Peripherals	Model	
	Interactive Display Panel - 1 no	(No hand	written)
	<ul> <li>Panel Size: 86" or higher</li> </ul>		
	<ul> <li>Panel Type: TFT LCD Module with DLED Backlight</li> </ul>		
	or better		
	<ul> <li>Aspect Ratio: 16:9</li> </ul>		
	<ul> <li>Resolution: UHD 3840x2160 (Pixels)</li> </ul>		
	<ul> <li>Colors: 1.07B colors (10bit)</li> </ul>		
	<ul> <li>Brightness: 400 nits or higher</li> </ul>		
	<ul><li>Contrast Ratio: 5000:1</li></ul>		
	<ul> <li>Response Time: 8ms or lower</li> </ul>		
	<ul> <li>Viewing Angles: H = 178, V = 178.</li> </ul>		
	<ul> <li>Backlight Life: 50,000 Hours or higher</li> </ul>		
	<ul> <li>Surface Treatment: Hardness: 7H or higher with Anti-</li> </ul>		
	Fingerprint coating & Anti-Glare coating		
	<ul> <li>Surface protection: 4 mm Toughened glass</li> </ul>		
	<ul> <li>Processor: Quadcore or higher</li> </ul>		
	<ul> <li>RAM: 8GB or higher</li> </ul>		
	<ul> <li>Storage: 128 GB or higher</li> </ul>		
	<ul> <li>Type/ Tech: UFT (Ultra Fine Touch) Technology or</li> </ul>		
	better		
	<ul> <li>Touch accuracy: ±2 mm or better</li> </ul>		
	<ul> <li>Touch Point: minimum 40 touch points</li> </ul>		
	<ul> <li>Input and Output: HDMI, RGB/VGA, RS-232, Audio,</li> </ul>		
	USB2.0/3.0, SPDIF, RJ45, type C, TF Card		
	<ul> <li>In-built WiFi and Bluetooth</li> </ul>		
	<ul> <li>Built-in speaker, min 15W x 2 nos</li> </ul>		
	<ul> <li>Should support wireless screenshare, pen &amp; finger</li> </ul>		
	touch		
	<ul> <li>Operating system: Android 12 or higher</li> </ul>		
	<ul> <li>Power supply: AC 100-240V 50/60Hz</li> </ul>		
	<ul> <li>Operating conditions: Temperature (° C): 0°C to</li> </ul>		
	40°C, Humidity: 20% ~ 80% RH Non-Condensing		
	<ul> <li>Certifications for Energy, EMC, safety and security</li> </ul>		
	Touch pens: 2 nos		
	· · ·	<u>I</u>	



 Accessories: Power cable, Remote control, USB Type-C cable, USB Touch cable (USB2.0), Quick Start Guide + Compliance statement, RS232 adapter, Clamps, HDMI cable, Eraser

#### Recording and Storage device - 1 no

- Processor: Intel Core i5 (11th/12th Generation) or better
- Clock Speed: Base: 2.4 GHz, Turbo Boost: Up to 4.4 GHz
- Cores/Threads: Quad-Core/8 Threads or better
- Graphics: Integrated Intel UHD/Intel Iris Xe Graphics
- Memory (RAM): 8GB DDR4, 2666 MHz (Expandable up to 32GB)
- Primary Storage (SSD): 512GB
- Secondary Storage (HDD): 1TB 7200 RPM SATA Hard Drive
- Display Support: Supports up to two external monitors via HDMI and DisplayPort
- Ports: HDMI, DisplayPort, USB-C, USB 3.0/2.0, RJ45, Audio Jack
- Wireless and bluetooth Connectivity
- Operating System: Windows 10 or better or Linux
- Accessories: Keyboard, Mouse, Power Cord, HDMI cable, 19" Monitor

#### Wireless Lapel and Handheld Microphone setup – 1 no

- Device Type: Handheld and Bodypack Transmitter with receiver
- RF Output power: 10mW (Max.)
- Microphone Element: Dynamic, Cardioid, Condenser, Omnidirectional
- Frequency Response: 80-15,000 Hz or better
- Power Requirement: 3V
- Current Consumption: ≤ 150mA
- Controls: Power ON/OFF Switch in Transmitter, ON/OFF Switch, Volume Control for Channel A & B in receiver
- Indication (Receiver): LEDs for RF & Audio Signal, Channel Frequency Display
- S/N Ratio: 90dB
- Frequency Response (Receiver):50-15,000Hz
- Power Requirement: 220V-240V AC 50Hz from AC Adaptor
- Accessories: 2 Connection cable, 1 AC Adaptor, 4x1.5V Pencil Cell.



2	Smart Board Display <u>Set – II</u> and Peripherals	Model	
	Commercial Smart Display – 1 no	1	
	Panel Size: 55" or higher		
	Type : LCD/LED or better		
	Aspect Ratio: 16:9		
	Refresh rate : 120Hz or better		
	Resolution: 1920 x 1080 or better		
	Brightness: 450 nits or better		
	<ul> <li>Viewing Angles: H = 178, V = 178</li> </ul>		
	<ul> <li>Backlight Life: 60,000 Hours or higher</li> </ul>		
	<ul> <li>Platform (OS): Android 11 or better</li> </ul>		
	<ul> <li>Memory: RAM – 2GB or better, ROM: 16 GB or higher</li> </ul>		
	Built-in speakers: 20W or higher		
	<ul> <li>Input: HDMI, RGB / VGA, Display Port, DVI, Audio,</li> </ul>		
	Audio (RCA), CVBS (AV), RS232, PC Slot, IR		
	<ul> <li>Output: HDMI, Display Port, DVI, Audio (Earphone</li> </ul>		
	out), Speaker		
	<ul> <li>Power supply: AC 100-240V 50/60Hz</li> </ul>		
	<ul> <li>Accessories: Remote Control with batteries, Power</li> </ul>		
	Cables, VGA & HDMI cable		
	Operating conditions: Temperature (° C): 0°C to 40°C,		
	Humidity: 20% ~ 80% RH Non-Condensing		
	LED/DLP projector – 1 no		
	Native Resolution: 1024x768      Native Resolution: 1024x768		
	Brightness: 4500 (ANSI Lumens) or better		
	Contrast Ratio: 3000000:1 or better  Only Colors  1 07 Dillion Colors or better		
	Display Color:     1.07 Billion Colors or better     Light Source Type: 240W LIJD Lorge or better		
	Light Source Type: 240W UHP Lamp or better     Light Source Life: 45000 bours or better		
	<ul> <li>Light Source Life: 15000 hours or better</li> <li>Lens: F=2.42-2.53, f=21.85-24.01mm or better</li> </ul>		
	<ul> <li>Lens: F=2.42-2.53, f=21.85-24.01mm or better</li> <li>Projection Offset: 130%+/-10% or better</li> </ul>		
	Throw Ratio: 1.94-2.16 or better		
	Optical Zoom: 1.1x or better		
	Digital Zoom: 0.8x-2.0x or better		
	Image Size: 30"-300" or better		
	• Throw Distance: 1.18m-13.17m (100"@3.94m)		
	Keystone: +/- 40° (V)		
	Audible Noise (Normal): 34dB		
	Resolution Support: VGA (640x480) to FullHD		
	(1920x1080)		
	Input: HDMI x2, USB, Audio 3.5 mm jack		
	Monitor Output and Audio-out		



• Built-in Speaker: 3W or better

Power Supply Voltage: 100-240V, 50/60Hz (AC in)

Operating Temperature: 0~40°C

Accessories: Power Cord, HDMI Cable, Remote Control

#### Wall Mountable Projector Screen - 1 no

• Screen Size: 12"x8" or better

 Aspect Ratios: 4:3 (Standard), 16:9 (Widescreen), 16:10 (Widescreen Computer).

Screen Type:Pull-down retractable.

Compatibility: Compatible with DLP, LCD, and laser projectors.

- Frame Construction: Durable aluminum frame for fixed screens or high-strength casing for pull-down models.
- Black borders to enhance image focus and contrast.
- Seamless edges for professional appearance.

#### High Wattage PA Mixer Amplifier - 1 no

- Device type: High Wattage PA Mixer Amplifier
- Power Output: 300W Max, 250W RMS at 10% THD, 220W RMS at 5% THD, 200W RMS at 2% THD,
- Input Channels:  $6 \times Mic (0.65 \text{mV}/4.7 \text{k}\Omega)$ ,  $2 \times Aux (100 \text{mV}/470 \text{k}\Omega)$ ,  $1 \times Line (1 \text{V}/50 \text{k}\Omega)$
- Frequency Response: 50Hz 15,000Hz ±3dB
- Signal to Noise Ratio: 60dB
- Tone Controls: Bass: ±10dB at 100Hz Treble:
   ±10dB at 10kHz; Bass: -10dB at 100Hz Treble:
   ±10dB at 10kHz
- Outputs: Preamp:  $200\text{mV}/600\Omega$ , Line:  $1\text{V}/1\text{k}\Omega$ , Speaker Outputs:  $4\Omega$ ,  $8\Omega$ , 70V, 100V
- Built-in Digital Player MP3 Player with USB,
   SD, and MMC Card Reader; includes remote control.
- Power Supply: AC: 220-240V, 50/60Hz

#### Wall mount Speakers - 6 nos

Power Output: Minimum 30 Watts
 Frequency Response: 75 Hz – 20 kHz

• Impedance: 8 Ohms

• Sensitivity: 87 dB SPL at 1W/1m or better

Enclosure Type: Sealed or ported

• Input Type: Standard speaker wire terminals

 Material: ABS Plastic or MDF (Medium Density Fiberboard)



	<ul> <li>Speaker: 100 mm woofer and 25mm tweeter.</li> </ul>	
	<ul> <li>Operating Temp Range: 0°C to 40°C</li> </ul>	
	Mounting Options: Table top or wall-mountable	
	Certifications: CE, RoHS compliant	
	Storage Cabinet for the PA system – 1 no	
	<ul> <li>Material: Engineered wood (plywood or MDF) is 18- 25mm thick.</li> </ul>	
	<ul> <li>Dimensions: Height: 900mm, Width: 600mm, Depth: 500mm.</li> </ul>	
	<ul> <li>Matte or semi-gloss laminate finish is available in walnut or teak veneer.</li> </ul>	
	<ul> <li>Adjustable shelves for amplifiers, with ventilation slots.</li> </ul>	
	<ul> <li>Lockable doors with soft-close hinges.</li> </ul>	
	Equipped with 4 lockable caster wheels for mobility.	
	<ul> <li>Back panel with cable management cutouts for easy access.</li> </ul>	
	Warranty: minimum 3 years for all items	
	Installation should be done at free of cost in the conference/seminar hall, MME department. Necessary	
	accessories like cables, mounting kits, miscellaneous	
	connectors, adaptors, splitters and wires if any should	
D	be provided.	
	ons (if there is difference in specification)	
1.		
2.		



S.No	Other requirements related to the equipment	NITT Requirement	Supplier commitment
1.	Installation required	Yes	
2.	Warranty (in Month)	36 months	
3.	Comprehensive AMC required	No	
4.	Delivery Period (Weeks)	3-4 Weeks	
5.		At NIT-T	
6.	Performa	ance Security in %	3%
7.	Payment Terms 100% Payment satisfactory delivery/Instal		
8.	EMD Amount (2 to 5)% Rs.8,000/-		

### **Signature & Seal of Vendor with Date**

### Note:

Specification of the Supplier should be given in detail, single word confirmation like Complied / No / same will be treated as non - responsive Bid and summarily rejected.

Proof for the supplier's specification must be enclosed along with the quotations. (catalogue, brochure, and product website link if any)



#### DEPARTMENT OF METALLURGICAL AND MATERIALS ENGINEERING

Annexure- II

#### PRICE BID FORMAT FOR BIDDERS

Quotation reference No. & Date: NITT/F.NO.035/CAPEX(OH-35)/2024-25/MME

Bidder's Offer No. & Date:

S. No.	Description of item	Unit (Set / No)	QTY	Rate / Qty in Rs.	(	GST in R	ks.	Total Value + GST in
				(exclu ding GST)	SG ST	CGST	IGST	Rs.
1.	Smart Board Display Set – I and Peripherals (Panel Size: 86" or higher)	<u>Set</u>	<u>01</u>					
2.	Smart Board Display Set – II and Peripherals (Panel Size: 55" or higher)	<u>Set</u>	<u>01</u>					
3.	Other accessories / spares etc. as given in scope of supply (Individual item-wise break-up price shall be attached as an annexure to this price bid format.)							
4.	Installation and Commissioning (extra, if any)		<u>No</u>					
5.	Packing & Forwarding charges (extra, if any)							
6.	Freight & Transit insurance charges, extra, if any							
7.	Total price							
8.	Value of Annual Maintenance Contract							
9.	Net cost to be paid by NIT-T							

Signature & Seal of Vendor

Note: The price quoted should be in Typed format only as per the above form. Hand written quotes will be rejected. No row shall be left blank, Kindly mention NA in case the item is "Not Applicable". If this format is not used or any column is left blank, then the bid will be rejected. AMC Value will not consider for arriving L1 bidder.



# (TO BE PRINTED IN LETTER PAD OF THE FIRM) EMD Returning Form

То
The Director
National Institute of Technology,
Tiruchirappalli – 620 015

Sub: Returning EMD amount

Sir / Madam,

Our firm has participated in the tender / quotation enquiry No mentioned below and produced the EMD amount through SBI collect, details are given below.

Tender / Quotation Reference No	
EMD amount	
Transaction Number	
Transaction Date	

It is requested to return the EMD amount to our firm after completion of the purchase to the below mentioned Bank account.

Account Name	
Bank Account Number	
IFSC code	
Bank	

Signature with Seal and Date



### (TO BE PRINTED IN LETTER PAD OF THE FIRM)

Annexure - IV

#### MANDATE FORM FOR ELECTRONIC FUND TRANSFER/RTGS TRANSFER

				Date: / /												
То								·	,							
The Director, National Institute of Technology, Tiruchirappalli – 620 015, Tamil Nadu																
Sub : Authorization for release of payment / dues from National Institute of Technology, Tiruchirappalli through Electronic Fund Transfer/RTGS Transfer.																
1. Name of the Party / Firm / Company / Institute :																
2. Address of the Party :																
3. CityPin Code																
4. E-MailMobile No:																
5. Permanent Acc	ount Nu	mber_														
6. Particulars of Bank:																
Bank Name:	Branch N								e:							
PIN Code:						Branch Code:										
IFS Code:(11 digit alpha numeric code)																
Account Type	unt Type Savings					Current					Cash Credit					
Account Numb	er:															
DECLARATION																
I hereby declare that the particulars given above are correct and complete. If any transaction delayed and not effected for reasons of incomplete or incorrect information I shall not hold Director, National Institute of Technology Tiruchirappalli responsible. I also undertake to advise any change in the particulars of my account to facilitate updating of records for purpose of credit of amount through NEFT/RTGS Transfer.																
Place:		Date:														
Signat	ure & S	eal of	the	Auth	nor	ize	d Si	gna	tor	y of	the	e Pa	rty			