

NATIONAL INSTITUTE OF TECHNOLOGY TIRUCHIRAPPALLI – 620 015

ESTATE MAINTENANCE DEPARTMENT

NOTICE INVITING TENDERS NO: NITT/EMD//Civi works / 2014

**EXTENSION OF TENDER NOTIFICATION**

Ref: NITT/EMD/ CoW/Civil works / 14-15

Date.27.02.2015

The **Chief of woks**, Estate Maintenance Department, NIT on behalf of The Director, NIT invites sealed item rate tenders from the approved and eligible contractors of NITT/CPWD and those in the appropriate list of Tamil Nadu state PWD, Railways, MES and BSNL for the following work. Sealed tenders will be received by the Registrar, National Institute of Technology, Tiruchirappalli-15 up to **3.00 p.m on 05.03.2015**. The tender will be **opened at 3.30. P.M** on 05.03.2015 at Registrar Office, in the presence of tenders who choose to present.

<b>Enq No.</b>	<b>Est Id. No</b>	<b>Name of work</b>	<b>Estimate cost Rs.</b>	<b>Earnest Money Rs</b>	<b>Last date for Submission of the tenders</b>	<b>Tender cost</b>
24.1	167	Supplying and fixing of Door closer for Faculty and laboratory rooms in the Institute.	7,61,965/-	15,300/-	05.03.2015	Rs.150/-

Tender details in this regard may also be seen in the Notice board of office of the Estate office, Estate Maintenance Dept, NIT, Trichy-15 during office hours on any working days.

The tender document can be downloaded from this institute web site [www.nitt.edu/home/others/tenders/](http://www.nitt.edu/home/others/tenders/). The tender cost of Rs 150/-and the Earnest money should be enclosed along with tender schedule in the form of separate demand draft from any Nationalized bank drawn in favor of “The Director, NIT, Trichy-15”

**-Sd- /Chief of Works**

## SCHEDULE OF WORK

Name of Work : Supplying and fixing of Door closer for faculty and laboratory rooms in the Institute.

**Due On: 05.03.2015**

Name of Agency :

Sl.No	Sub-Heads and Item of Work	Quantity	Unit	Rate (Rs)	Rate (In words)	Amount (Rs)
1.	<b>WOOD AND P.V.C. WORK</b>					
1.1	Extra for providing vision panel not exceeding 0.1 sqm in all type of flush doors (cost of glass excluded) (overall area of door shutter to be measured)	10.00	Sqm			
1.1.1.	Rectangular or square					
1.2	Providing and fixing aluminium extruded section body tubular type universal hydraulic door closer (having brand logo with ISI, IS : 3564, embossed on the body, door weight up to 36 kg to 80 kg and door width from 701 mm to 1000 mm), with double speed adjustment with necessary accessories and screws etc. complete	300.00	Each			
1.3	Providing and fixing aluminium hanging floor door stopper, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS : 1868) transparent or dyed to required colour and shade, with necessary screws etc. complete.	300.00	Each			
1.3.1	Single rubber stopper					

Sl.No	Sub-Heads and Item of Work	Quantity	Unit	Rate (Rs)	Rate (In words)	Amount (Rs)
2	ALUMINIUM WORK					
2.1	Providing and fixing aluminium work for doors, windows, ventilators and partitions with extruded built up standard tubular sections/ appropriate Z sections and other sections of approved make conforming to IS: 733 and IS: 1285, fixing with dash fasteners of required dia and size, including necessary filling up the gaps at junctions, i.e. at top, bottom and sides with required EPDM rubber/ neoprene gasket etc. Aluminium sections shall be smooth, rust free, straight, mitred and jointed mechanically wherever required including cleat angle, Aluminium snap beading for glazing / paneling, C.P. brass / stainless steel screws, all complete as per architectural drawings and the directions of Engineer-in-charge. (Glazing, paneling and dash fasteners to be paid for separately) :	280.00	Kg			
2.1.1	For fixed portion					
2.1.1.1	Powder coated aluminium (minimum thickness of powder coating 50 micron)					
2.1.2	For shutters of doors, windows & ventilators including providing and fixing hinges/ pivots and making provision for fixing of fittings wherever required including the cost of EPDM rubber / neoprene gasket required (Fittings shall be paid for separately)	365.00	Kg			
2.1.2.1	Powder coated aluminium (minimum thickness of powder coating 50 micron)					

<b>Sl.No</b>	<b>Sub-Heads and Item of Work</b>	<b>Quantity</b>	<b>Unit</b>	<b>Rate (Rs)</b>	<b>Rate (In words)</b>	<b>Amount (Rs)</b>
2.2	Providing and fixing 12 mm thick prelaminated particle board flat pressed three layer or graded wood particle board conforming to IS: 12823 Grade I Type II, in panelling fixed in aluminum doors, windows shutters and partition frames with C.P. brass / stainless steel screws etc. complete as per architectural drawings and directions of engineer-in-charge.	45.00	Sqm			
2.2.1	Pre-laminated particle board with decorative lamination on both sides as required.					
2.3	Providing and fixing glazing in aluminium door, window, ventilator shutters and partitions etc. with EPDM rubber / neoprene gasket etc. complete as per the architectural drawings and the directions of engineer-in-charge. (Cost of aluminium snap beading shall be paid in basic item):	10.00	Sqm			
2.3.1	With float glass panes of 4.0 mm thickness					
2.3.2	With float glass panes of 5.50 mm thickness	50.00	Sqm			
					<b>TOTAL</b>	

**Signature of Contractor**