NATIONAL INSTITUTE OF TECHNOLOGY

TIRUCHIRAPPALLI – 15

Department of Production Engineering

Web: www.nitt.edu Phone: 0431 - 2503500



TENDER DOCUMENT

Last date re-extended

Tender Notification No.: NITT/R&C/PROD/FIST/JJ/2010 -2011/1 Dated: 10.5.2010

Name of the component : **High precision multi-process machine tool**

Quantity required : 1 No.

EMD Amount : Rs. 96,000/-

Delivery : 4-6 months from the date of the order

Last Date of submission of Tender : 12.7.2010 upto 3.00 p.m.

Address for submission of Tender : The Director

National Institute of Technology

Tiruchirappalli-620 015 Tamil Nadu. India.

With kind attention to: Dr. P. Asokan

Head of the Department/ Production Engg.

Date of opening of bid : 12.7.2010 at 3.30 p.m.



NATIONAL INSTITUTE OF TECHNOLOGY TIRUCHIRAPPALLI – 15

DEPARTMENT OF PRODUCTION ENGINEERING

Tender Notification No.: NITT/R&C/PROD/FIST/JJ/2010 -2011/1 Dated: 10.5.2010

NOTICE INVITING TENDER

The National Institute of Technology, Tiruchirappalli (NITT) is an autonomous body under MHRD, GOI, imparting Technical Education and engaged in Research Activities. It is proposed to procure the following component for the departmental academic/research activities.

Sealed Quotations under *two cover system* are invited for the following component subject to the following terms and conditions, from the reputed manufacturers or their authorized dealers so as to reach this office on or before scheduled date and time. The technical cover will be opened on the same day in the presence of bidders or their authorized agents who may choose to be present.

Name of the component : High precision multi-process machine tool

Quantity required : 1 No.

EMD : Rs. 96, 000/-

Time for completion of supply after placing purchase order: 4-6 months

Last Date of submission of Tender : 12.7.2010 upto 3.00 p.m.

Tender to be submitted at the following address : The Director

National Institute of Technology

Tiruchirappalli - 620 015

Tamil Nadu, India.

With kind attention to: Dr. P. Asokan

Head of the Department/Production Engg.

Place, Date and time of opening of bid

<u>Date:</u> 12.7.2010 <u>Time:</u> 3.30 p.m <u>Venue:</u> Dean (R&C) office/Admin Block

Note: The Institute shall not be responsible for any postal delay about non-receipt / non delivery of the bids or due to wrong addressee.

SECTION: 1 INSTRUCTION TO BIDDER

- The bidder should give details of their technical soundness and provide list of customers of previous supply of similar items to Universities, Institutes or Government Departments/Undertakings/public sectors with contact details. The details of the agency/profile should be furnished along with the copy of all related documents.
 - 1.1 Bids are to be submitted under two cover system.

Cover 1:

Cover 1 should contain the following:

- a. EMD Earnest Money Deposit (EMD) is to be remitted by way of Demand Draft drawn on any Nationalised bank in India by Demand Draft drawn on any scheduled bank in favour of "The Director, NIT, Trichy" payable at Trichy should be submitted. EMD shall bear no interest. Any bid not accompanying with EMD is liable to be treated as non-responsive and rejected.
- b. Technical pamphlets
- c. Detailed technical specification
- d. The agency should furnish copy of license certificate for manufacture/supply of the item.
- e. The agency should furnish Income Tax PAN number
- f. Warranty period offered for the tendered item to be specified. If the warranty period is not conforming with the schedule of requirements given in section 3 of the document, the bid is liable to be treated as non-responsive and rejected.
- g. Duly filled up technical questionnaire, if any
- h. Duly filled up deviation schedules to technical specification
- i. Copy of supply orders completed during the last three years ending 31-12-2008.
- j. If the prices are revealed in the cover 1, the offer will be summarily rejected
- 1.2 The cover 1 shall be superscribed as 'Technical cover' duly indicating the Tender reference No. and the due date of opening.

1.3 Cover 2:

Cover 2 should contain the following

Cover 2 shall contain Price only and shall be superscribed as 'Price Cover' duly indicating the Tender Reference No. and the due date of opening.

Each Cover shall be sent in a double sealed cover. The inner covers (Cover 1 and Cover 2) should be sealed individually with the sellers's distinctive seal and superscribed with the tender reference no. and due date of opening. Both the inner covers shall be placed in a common outer cover which shall also be sealed with seller's distinctive seal and superscribed with the tender reference no. and due date of opening.

Mention "Kind Attention: Dr. P. Asokan, Head of the Department, Department of Production Engg." and submit at the address given in the Notice Inviting Tender.

Cover 1 will be opened on the scheduled date and time mentioned in the tender enquiry. Cover 2 of the technically and commercially suitable offers alone will be opened on a date which will be intimated to the qualified bidders.

- 2. The agencies should submit their rate as per the format given in Section 4 of the Notice Inviting Tender in this cover. Rate should be quoted in Indian Rupee. The rate should be quoted both in words and figures. All the pages of the bid should be signed affixing the seal. All corrections and overwriting should be initialed.
- 3. The tender will be acceptable only from the manufacturers or its authorized supplier.
- 4. The bid shall be in the format of price schedule given in Section 4. The contract form as per format given in section 5 shall be submitted. Incomplete or conditional tender will be rejected.
- 5. Details of quantity and the specifications are mentioned in Section 3 appended to this Notice Inviting Tender.
- 6. The item to be used is strictly according to the specification and subject to test by the Institute/concerned authorities. It must be delivered and installed in good working condition.
- 7. The Institute reserves the right to cancel or reduce the quantity included in the schedule of requirements at any time after acceptance of the tender with a notice. The Contractor/Supplier shall have no claim to any payment of compensation or otherwise whatsoever, on account of any profit or advantage which he might have derived from the execution of the work/supply in full but he did not derive in consequence of the foreclosure of the whole or part of the works.
- 8. Performance Security of 5% of the contract value in terms of Bank guarantee by scheduled banks shall be given by the successful bidder for the total period of warranty.
- Release of EMD: The EMD shall be released after receipt of performance security from successful bidder.
- 10. <u>Validity of bids</u>: The rate quote should be valid for a minimum of 90 days. No claim for escalation of rate will be considered after opening the Tender.
- 11. <u>Imports</u>: In case, goods are to be imported, the Indian agent should furnish authorization certificate by the principles abroad for submission of the bid in response to this Notice Inviting Tender.
- 12. <u>Clarification of Tender Document</u>: A prospective bidder requiring any clarification of the Tender document may communicate to the contact person given in this notice inviting tender.
- 13. <u>Amendment of tender document:</u> At any time prior to the last date of receipt of bids, Institute may for any reason, whether at its own initiative or in response to a clarification requested by prospective bidder, modify the Tender document by an amendment.
- 14. The Institute may at its own discretion extend the last date for the receipt of bids.
- 15. The bids shall be written in English language and any information printed in other language shall be accompanied by an English translation, in which case for the purpose of interpretation of the bid, the English translation shall govern.
- 16. The Institute reserves the right of accepting any bid other than the lowest or even rejecting all the bids without assigning any reasons therefor. The decision of the Institute Purchase Committee is final in all matters of tender and purchase.
- 17. The bidder should give the following declaration while submitting the Tender.

DECLARATION

I/we have not tampered/modified the tender forms in any manner. In case, if the same is found to be tampered/modified, I/we understand that my/our tender will be summarily rejected and full Earnest Money Deposit (EMD) will be forfeited and I/we am/are liable to be banned from doing business with NIT, Trichy and /or prosecuted.

Signature of the Bidder	:
Name and Designation	:
Business Address	:
Place :	
Date :	Seal of the Bidder's Firm

18. Any other details required may be obtained from the contact person given in the notice inviting tender during the office hours.

SECTION: 2 CONDITIONS OF CONTRACT

- 1. The rates should be quoted in Indian Rupee FOR NIT, Trichy for supply within India.
- 2. In case of import both CIF and / or FOB rate should be quoted. All components of expenditure to arrive at Chennai need to be explicitly specified.
- 3. The bidder shall indicate the excise duty exemption for the goods if applicable
- 4. The Institute is eligible for customs duty and excise duty exemption.
- 5. The rate quoted should be on unit basis. Taxes and other charges should be quoted separately, considering exemptions if any.
- 6. Rate quoted should be inclusive of Testing, commissioning and installation of equipment and training.
- 7. <u>Payment</u>: No advance payment will be made. Payment will be made only after the supply of the item in good and satisfactory condition and receipt of performance security by supplier. In case of imports, the payment will be made through LC after installation and performance security need to be submitted at the time of LC commitment.
- 8. Guarantee and Warrantee period should be specified for the complete period conforming to the section 3 of this tender document.
- Period required for the supply and installation of item should be specified conforming to the section
 of this tender document.
- 10. In case of dispute, the matter will be subject to Tiruchirappalli, Tamil Nadu Jurisdiction only.

SECTION: 3 SCHEDULE OF REQUIREMENTS, SPECIFICATIONS AND ALLIED DETAILS

Name of the Component to be procured : High precision multi-process machine tool

Specifications : As per Annexure

Quantity : 1 No.

Warranty period required : 3 years

Delivery schedule expected after release of purchase order (in weeks)

: 4-6 months

EMD (in Rupees) : Rs 96,000/-

Performance Security to be given by Successful bidder after release of purchase order (in Rupees) : 5% of the cost of the equipment

SECTION: 4 PRICE SCHEDULE

[To be used by the bidder for submission of the bid]

Date			Seal of the Bidder's Firm
Plac			
Bus	iness A	aaress :	
		_	
Nam	ne and F	Designation :	
Sigr	nature o	f the Bidder :	
10.		and address of Indian zed agent (in case of imports	:
9.	Name	and address of the firm for purchase order	:
8.	Delivery	y Schedule (confirming to the 3 of Tender document)	:
		be mentioned in Technical or in order to get qualified for all bid)	
7.	Warranty period (confirming to the Section 3 of Tender document. This		:
		figures	
	(ii)	and also in figures Specify other charges in	:
	(i)	Specify the type of taxes and duties in percentages	
6.	Taxes and other charges		:
5.	Item cost (SI.No.3 & SI.No.4) (in Indian Rupee)		:
4.	Quantity		:
3.	additional sheets if necessary) Currency and Unit Price		:
2.	Specifications (confirming to Section 3 of Tender document-enclose		:
1.	Component Name		:

SECTION: 5 CONTRACT FORM

[To be provided by the bidder in the business letter head]

1.	Name of the Supplier's Firm) hereby abide to deliver theby the delivery schedule mentioned in the Section 3 tender document for supply of the items if the surchase order is awarded.			
2.	The item will be supplied conforming to the specifications stated in the tender document without any defect and deviations.			
3.	Varranty will be given for the period mentioned in the tender document and service will be endered to the satisfaction of NIT, Trichy during this period.			
Signature of the Bidder :				
Nan	and Designation :			
Bus	ness Address :			
Plac	:			
Date	: Seal of the Bidder's Firm			

ANNEXURE

High precision multi-process machine tool for micro machining should be capable of carrying out the following types of micro machining operation:

- Micro-Turning
- Micro-Milling
- Micro-Drilling
- Micro-Electrical Discharge Machining (μ -EDM)
- Micro-Wire Electrical Discharge Machining (μ-WEDM)
- Micro-Wire Electrical Discharge Grinding (μ -WEDG)

SPECIFICATIONS

- PC based CNC motion controller with Windows XP operating system and 0.1 micrometer (100 nanometer) programming resolution
- Optical linear scale feedback system with 0.1 micrometer (100 nanometer) resolution
- High stiffness gantry structure (X-axis) mounted on Natural granite table for high precision and high damping factor.
- Machine structure installed on passive dampers for vibration isolation from the floor
- High precision linear guide way with more than 350N/μm stiffness
- Precision ball screw drive system with lead of 2mm
- Electrically isolated spindle system for multipurpose micro machining process
- Travel capacity: X axis: 200 mm, Y axis:100 mm and Z axis:100 mm
- Compact foot print: (3 m X 2 m)
- Fully integrated power control system for micro EDM
- Vibration isolation: 4-point heavy duty passive dampers
- Position accuracy: +/- 1 micron/100mm
- Position feedback system: Optical linear scale with resolution of 0.1 µm (100 nm)
- Control system : Standard NC code compatible
- Linear axis bearing design: High precision grade linear bearing system for all linear axes
- Linear drive systems: Digital AC servo motor system with full-closed feedback control
- Slide straightness: +/- 2 micron/100mm

+/- 0.5 micron over any 25mm of travel

Slide feed rate: Min: 1mm/min, Max: 2000mm/min.

Feed rate range should be user selectable

- Slide stiffness: 350 N/μm
- Spindle type: AC servo motor controlled

Super precision grade angular contact bearing for high precision spindle rotation.

The spindle is electrically isolated from the machine body, and the spindle shaft is electrically connected to the power supply through a carbon brush

Spindle speed range: Rating:0-3000 rpm

Maximum: 5000 rpm for less than 10 sec

- Spindle axial stiffness: 120N/μm
- Tool clamping: Manual tool setting with precision collect system
- EDM Power supply: EDM mode: Voltage: 80V-150V
 RC discharge circuit: R: 1KOhm fixed, C: 6 selectable
- Coolant system: Dry cut for machining (For Milling, Drilling and Turning)
 For EDM: 1 set of built-in coolant tank, pumps and filters
- Attachment: Manual sliding door system for operation safety
 On machine measuring microscope with CCD camera
- Consumables: To be supplied for three years operations.
- Manual: To be supplied by the supplier.
- Training: To be arranged in our premises.
- Service: Service guarantee for five years, should be given by the supplier.