

Department of Mechanical Engineering

Web: www.nitt.edu

Date of opening of bid

Phone: 0431 - 2503422



TENDER DOCUMENT

Tender Notification No.: NITT/R&C/MECH/SS/CSIR/2010-11/34 Dated: 24.1.2011

Name of the component	: Computerized Data logger with Pressure & Temperature Sensors
Quantity required	: 1 No.
EMD Amount	: Rs 4,000/-
Delivery	: within four weeks from the date of purchase order
Last Date of submission of Tender	: 18.2.2011 upto 3.00 p.m.
Address for submission of Tender	: The Director National Institute of Technology, Tiruchirappalli – 620 015
With kind attention :	Dr.S.Suresh, Assistant Professor, Department of Mechanical Engineering, National Institute of Technology, Tiruchirappalli – 620 015

: 18.2.2011 at 3.30 p.m



NATIONAL INSTITUTE OF TECHNOLOGY TIRUCHIRAPPALLI – 15

DEPARTMENT OF MECHANICAL ENGINEERING

Tender Notification No.: NITT/R&C/MECH/SS/CSIR/2010-11/34 Dated: 24.1.2011

NOTICE INVITING TENDER

The National Institute of Technology, Tiruchirappalli (NITT) is an autonomous body under MHRD, GOI, imparting Technical Education and engaged in Research Activities. It is proposed to procure the following component for the departmental academic/research activities.

Sealed Quotations under *two cover system* are invited for the following component subject to the following terms and conditions, from the reputed manufacturers or their authorized dealers so as to reach this office on or before scheduled date and time. The technical cover will be opened on the same day in the presence of bidders or their authorized agents who may choose to be present.

Date: 18.2.2011	<u>Time:</u> 3.30 p.m	V	/enue: Dean (R&C) office/Admin Block
Place, Date and time of opening	of bid	:	
	With kind attentior		Dr.S.Suresh, Assistant Professor, Department of Mechanical Engineering, National Institute of Technology, Tiruchirappalli – 620 015
Tender to be submitted at the follo	wing address	:	The Director, National Institute of Technology, Tiruchirappalli – 620 015
Last Date of submission of Tender		:	18.2.2011 upto 3.00 p.m.
Time for completion of supply after	r placing purchase order	:	Four weeks
EMD		:	Rs.4,000/-
Quantity required		:	1 No.
Name of the component		:	Computerized Data logger with Pressure & Temperature Sensors

Note : The Institute shall not be responsible for any postal delay about non-receipt / non delivery of the bids or due to wrong addressee.

SECTION: 1 INSTRUCTION TO BIDDER

1. The bidder should give details of their technical soundness and provide list of customers of previous supply of similar items to Universities, Institutes or Government Departments/Undertakings/public sectors with contact details. The details of the agency/profile should be furnished along with the copy of all related documents.

1.1 Bids are to be submitted under two cover system.

<u>Cover 1:</u>

Cover 1 should contain the following:

- a. EMD Earnest Money Deposit (EMD) is to be remitted by way of Demand Draft drawn on any Nationalised bank in India by Demand Draft drawn on any scheduled bank in favour of "The Director, NIT, Trichy" payable at Trichy should be submitted. EMD shall bear no interest. Any bid not accompanying with EMD is liable to be treated as nonresponsive and rejected.
- b. Technical pamphlets
- c. Detailed technical specification
- d. The agency should furnish copy of license certificate for manufacture/supply of the item.
- e. The agency should furnish Income Tax PAN number
- f. Warranty period offered for the tendered item to be specified. If the warranty period is not conforming with the schedule of requirements given in section 3 of the document, the bid is liable to be treated as non-responsive and rejected.
- g. Duly filled up technical questionnaire, if any
- h. Duly filled up deviation schedules to technical specification
- *i.* Copy of supply orders completed during the last three years ending 31-12-2008.
- j. If the prices are revealed in the cover 1, the offer will be summarily rejected
- **1.2** The cover 1 shall be superscribed as 'Technical cover' duly indicating the Tender reference No. and the due date of opening.

1.3 <u>Cover 2:</u>

Cover 2 should contain the following

Cover 2 shall contain Price only and shall be superscribed as 'Price Cover' duly indicating the Tender Reference No. and the due date of opening.

Each Cover shall be sent in a double sealed cover. The inner covers (Cover 1 and Cover 2) should be sealed individually with the sellers's distinctive seal and superscribed with the tender reference no. and due date of opening.Both the inner covers shall be placed in a common outer cover which shall also be sealed with seller's distinctive seal and superscribed with the tender reference no. and due date of opening.

Mention "<u>Kind Attention: Dr.S.Suresh, Asst.Prof. Department of Mechanical Engineering</u> and submit at the address given in the Notice Inviting Tender.

Cover 1 will be opened on the scheduled date and time mentioned in the tender enquiry. Cover 2 of the technically and commercially suitable offers alone will be opened on a date which will be intimated to the qualified bidders.

2. The agencies should submit their rate as per the format given in Section 4 of the Notice Inviting Tender in this cover. Rate should be quoted in Indian Rupee. The rate should be quoted both in

words and figures. All the pages of the bid should be signed affixing the seal. All corrections and overwriting should be initialed.

- 3. The tender will be acceptable only from the manufacturers or its authorized supplier.
- 4. The bid shall be in the format of price schedule given in Section 4. The contract form as per format given in section 5 shall be submitted. Incomplete or conditional tender will be rejected.
- Details of quantity and the specifications are mentioned in Section 3 appended to this Notice Inviting Tender.
- 6. The item to be used is strictly according to the specification and subject to test by the Institute/concerned authorities. It must be delivered and installed in good working condition.
- 7. The Institute reserves the right to cancel or reduce the quantity included in the schedule of requirements at any time after acceptance of the tender with a notice. The Contractor/Supplier shall have no claim to any payment of compensation or otherwise whatsoever, on account of any profit or advantage which he might have derived from the execution of the work/supply in full but he did not derive in consequence of the foreclosure of the whole or part of the works.
- 8. Performance Security of 5% of the contract value in terms of Bank guarantee by scheduled banks shall be given by the successful bidder for the total period of warranty.
- <u>Release of EMD</u>: The EMD shall be released after receipt of performance security from successful bidder.
- 10. *Validity of bids:* The rate quote should be valid for a minimum of 90 days. No claim for escalation of rate will be considered after opening the Tender.
- 11. <u>Imports</u>: In case, goods are to be imported, the Indian agent should furnish authorization certificate by the principles abroad for submission of the bid in response to this Notice Inviting Tender.
- 12. <u>Clarification of Tender Document</u>: A prospective bidder requiring any clarification of the Tender document may communicate to the contact person given in this notice inviting tender.
- 13. <u>Amendment of tender document</u>: At any time prior to the last date of receipt of bids, Institute may for any reason, whether at its own initiative or in response to a clarification requested by prospective bidder, modify the Tender document by an amendment.
- 14. The Institute may at its own discretion extend the last date for the receipt of bids.
- 15. The bids shall be written in English language and any information printed in other language shall be accompanied by an English translation, in which case for the purpose of interpretation of the bid, the English translation shall govern.
- 16. The Institute reserves the right of accepting any bid other than the lowest or even rejecting all the bids without assigning any reasons therefore. The decision of the Institute Purchase Committee is final in all matters of tender and purchase.
- 17. The bidder should give the following declaration while submitting the Tender.

DECLARATION

I/we have not tampered/modified the tender forms in any manner. In case, if the same is found to be tampered/modified, I/we understand that my/our tender will be summarily rejected and full Earnest Money Deposit (EMD) will be forfeited and I/we am/are liable to be banned from doing business with NIT, Trichy and /or prosecuted.

Signature of the Bidder	:
Name and Designation	:
Business Address	:

Place :	
Date :	Seal

 Any other details required may be obtained from the contact person given in the notice inviting tender during the office hours.

of the Bidder's Firm

- 1. The rates should be quoted in Indian Rupee F.O.R. NIT, Trichy for supply within India.
- In case of import both CIF and / or FOB rate should be quoted. All components of expenditure to arrive at Chennai need to be explicitly specified.
- 3. The bidder shall indicate the excise duty exemption for the goods if applicable
- 4. The Institute is eligible for customs duty and excise duty exemption.
- 5. The rate quoted should be on unit basis. Taxes and other charges should be quoted separately, considering exemptions if any.
- 6. Rate quoted should be inclusive of Testing, commissioning and installation of equipment and training.
- 7. <u>Payment</u>: No advance payment will be made. Payment will be made only after the supply of the item in good and satisfactory condition and receipt of performance security by supplier. In case of imports, the payment will be made through LC after installation and performance security need to be submitted at the time of LC commitment.
- 8. Guarantee and Warrantee period should be specified for the complete period conforming to the section 3 of this tender document.
- Period required for the supply and installation of item should be specified conforming to the section
 3 of this tender document.
- 10. In case of dispute, the matter will be subject to Tiruchirappalli, Tamil Nadu Jurisdiction only.

Name of the Component to be procured : Computerized Data logger with Temperature Sensors

Specifications

:

1. Computerized Data logger

No. of channels	: 16
Input	: Universal (output from thermocouple (J & K type),
	RTD's, Thermistor, DC/AC volts and current)
Power supply	: 230 V AC, 50 Hz
Item	: Converter
Transmission rate	: 1 Mbps or above
USB flash drive support	: to copy/log data in standalone
Compatibility	: Should log Temperature from thermocouples,
	Thermistors, RTD's, Pressure and flow
Software	: Software to configure and control tests, display
	results and collect data for further analysis
Connectivity	: Gigabit LAN, USB, GPIB or RS-232 IO options for
	Easy connectivity to PC
Accuracy	$1 \pm 0.1\%$
Interfacing	: with computer
Computer	: Laptop computer

1a. Differential pressure transmitter

Differential pressure range Output Accuracy Overall Accuracy Display Adjustable signal Ambient Temperature Process Temperature Process Connection	 : 0 to 20000 mm of water column (0- 2 bar) : 2 wire 4-20mA (Should have the compatibility with data logger) : 1 cm of water column : ± 5% : Digital LCD display : -10 to +85 Deg. C : -10 to +120 Deg. C : ¼" NPT (F)
Quantity	: 1 No.
2. RTD Assembly	
Item	: RTD assembly
Sensor	: Pt-100, simplex, 3 wire, MI
Range	: 0- 300° C
Sheath	
MOC	: SS 316
OD	: 2 mm
Length	: 100 mm
Cold end termination	: Pot seal type with 5 mt. long PTFE
insulated extension cable	
Process Connection	: ¹ / ₄ " BSP (M) adjustable
Accuracy	$\pm 0.2^{\circ} \text{ C}$
Quantity	: 8 Nos.
Country (

3. Thermocouple

Sensor	: K-Type, Simplex, MI
<u>Sheath:</u>	
MOC	: SS 316
OD	: 4.7 mm
Length	: 100 mm
Hot Junction	: Ungrounded
Temp range	: 0 - 300°C
Accuracy	: ± 0.3 °C
Working pressure	: 5 bar
Cold end termination	: Pot seal type with 2 mt long PTFE insulated FG sheathed SS
	braided thermocouple extension cable with spring loaded lead
protection at	probe head.
Accuracy	$\dot{1} \pm 0.3^{0} \text{ C}$
Process Connection	: ¹ / ₄ " BSP (M) adjustable
Quantity	: 8 Nos.

4. Thermistor	
Temperature range	$: 0 - 300^{0} \text{ C}$
Accuracy	$\pm 0.1^0 \mathrm{C}$
Stability (drift)	: Less than 0.02 °C / year
Quantity	: 5 Nos.

Note:

All the thermocouples, RTD's and Thermistors should be compatible with the above Data logger.

Name of the Component to be procured	:	Computerized Data logger v Sensors	vith Temperature
Specifications	:	1. Computerized Data logg	ger
		No. of channels Input	: 16 : Universal (output from thermocouple (J & K type), RTD's, Thermistor, DC/AC volts and current)
		Power supply Item Transmission rate	: 230 V AC, 50 Hz : Converter : 1 Mbps or above
		USB flash drive support Compatibility	 to copy/log data in standalone Should log Temperature from thermocouples, Thermistors, RTD's, Pressure and flow
		Software	: Software to configure and control tests, display results and collect data for further analysis
		Connectivity	: Gigabit LAN, USB, GPIB or RS-232 IO options for Easy connectivity to PC
		Accuracy	$1 \pm 0.1\%$
		Interfacing	: with computer
		Computer	: Laptop computer
		1a. Differential pressure tr	ansmitter
		Differential pressure range (0- 2 bar)	: 0 to 20000 mm of water column
		Output compatibility with	: 2 wire 4-20mA (Should have the
			data logger)
		Accuracy	: 1 cm of water column
		Overall Accuracy	$\pm 5\%$
		Display	: Digital LCD display
		Adjustable signal	
		Ambient Temperature	: -10 to +85 Deg. C
		Process Temperature	: -10 to +120 Deg. C
		Process Connection	: ¹ / ₄ " NPT (F)
		Quantity	: 1 No.
		2. RTD Assembly	
		Item	: RTD assembly
		Sensor	: Pt-100, simplex, 3 wire, MI
		Range	: 0- 300° C
		Sheath	
		MOC	: SS 316
		OD	: 2 mm
		Length	: 100 mm
		Cold end termination	: Pot seal type with 5 mt. long
		PTFE	

		insulated extension cable Process Connection Accuracy Quantity	: ¹ / ₄ " BSP (M) adjustable : ± 0.2 ⁰ C : 8 Nos.
		3. Thermocouple	
		Sensor Sheath:	: K-Type, Simplex, MI
		MOC	: SS 316
		OD	: 4.7 mm
		Length	: 100 mm
		Hot Junction	: Ungrounded
		Temp range	: 0 - 300°C
		Accuracy	: ± 0.3 °C
		Working pressure	: 5 bar
		Cold end termination	: Pot seal type with 2 mt long PTFE insulated FG sheathed SS raided thermocouple extension cable with spring loaded lead protection at probe head.
		Accuracy	$= 0.3^{\circ} \text{ C}$
		Process Connection	: ¹ / ₄ " BSP (M) adjustable
		Quantity	: 8 Nos.
		4. Thermistor Temperature range Accuracy Stability (drift) Quantity	: 0 – 300 ⁰ C : ± 0.1 ⁰ C : Less than 0.02 °C / year : 5 Nos.
Quantity	:	1 No.	
Any other details/requirement	:	All the thermocouples, R compatible with the above I	TD's and Thermistors should be Data logger
Warranty period required	:	2 Years	
Delivery schedule expected after release of purchase order (in weeks)	:	Four weeks	
EMD (in Rupees)	:	Rs.4,000/-	
Performance Security to be given by Successful bidder after release of purchase order (in Rupees)	:	5 % of the equipment cost	

[To be used by the bidder for submission of the bid]

1.	Component Name	:
2.	Specifications (confirming to Section 3 of Tender document-enclose	:
3.	additional sheets if necessary) Currency and Unit Price	:
4.	Quantity	:
5.	Item cost (SI.No.3 & SI.No.4) (in Indian Rupee)	:
6.	Taxes and other charges	:
	(i) Specify the type of taxes and duties in percentages and also in figures(ii) Specify other charges in	:
	figures	
7. 8. 9.	Warranty period (confirming to the Section 3 of Tender document. This should be mentioned in Technical bid also in order to get qualified for Financial bid) Delivery Schedule (confirming to the Section 3 of Tender document) Name and address of the firm for	:
10.	placing purchase order Name and address of Indian authorized agent (in case of imports only)	:
Sigr	nature of the Bidder :	
Nan	ne and Designation :	
Bus	iness Address :	

Place :

Date :

Seal of the Bidder's Firm

SECTION : 5 CONTRACT FORM

[To be provided by the bidder in the business letter head]

- 1. {Name of the Supplier's Firm) hereby abide to deliver theby the delivery schedule mentioned in the Section 3 tender document for supply of the items if the purchase order is awarded.
- 2. The item will be supplied conforming to the specifications stated in the tender document without any defect and deviations.
- 3. Warranty will be given for the period mentioned in the tender document and service will be rendered to the satisfaction of NIT, Trichy during this period.

Signature of the Bidder	:
Name and Designation	:
Business Address	:

Place :

Date :

Seal of the Bidder's Firm